

# Person (with a disability) —disability group, CSTDA code N(N)

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	Disability group (CSTDA)
<b>METEOR identifier:</b>	347342
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Community Services (retired)</a>, Superseded 11/11/2009 [Non Dictionary]</li></ul>
<b>Definition:</b>	Disability group that clearly expresses the experience of disability and/or the cause of difficulty for a person, as represented by a code.
<b>Data Element Concept:</b>	<a href="#">Person—disability group</a>

## Value domain attributes

## Representational attributes

<b>Representation class:</b>	Code
<b>Data type:</b>	Number
<b>Format:</b>	N(N)
<b>Maximum character length:</b>	2

**Permissible values:**

Value	Meaning
Intellectual/learning	
1	Intellectual (including Down's syndrome)
2	Specific learning/Attention Deficit Disorder (other than intellectual)
3	Autism (including Asperger's syndrome and Pervasive Developmental Delay)
12	Developmental delay (applies to 0-5 year olds only, where no other category is appropriate)
Physical/diverse	
4	Physical
5	Acquired brain injury
6	Neurological (including epilepsy and Alzheimer's disease)
Sensory/speech	
7	Deafblind (dual sensory)
8	Vision (sensory)
9	Hearing (sensory)
10	Speech (sensory)
Psychiatric	
11	Psychiatric

**Supplementary values:**

Value	Meaning
99	Not stated/Inadequately described

## Collection and usage attributes

**Guide for use:**

For a mapping of this value domain to the national standard for disability group follow this link '[Disability group code mapping from NCSDD to CSTDA](#)'.

**CODE 1 Intellectual**

Intellectual disability applies to conditions appearing in the developmental period (age 0-18) associated with impairment of mental functions, difficulties in learning and performing certain daily life skills and limitation of adaptive skills in the context of community environments compared to others of the same age. Includes Down's syndrome, tuberous sclerosis, cri-du-chat syndrome etc.

**CODE 2 Specific learning**

Learning disability is a general term referring to a group of disorders, presumed due to central nervous system dysfunction rather than an intellectual disability, covering significant difficulties in the acquisition and use of listening, speaking, reading, writing, reasoning or mathematical skills.

**CODE 3 Autism**

Autism is used to describe pervasive developmental disorders involving disturbances in cognition, interpersonal communication, social interactions and behaviour (in particular obsessional, ritualistic, stereotyped and rigid behaviours).

**CODE 4 Physical**

Physical disability is used to describe conditions that are attributable to a physical cause or impact on the ability to perform physical activities, such as mobility. Physical disability includes paraplegia, quadriplegia, muscular dystrophy, motor

neurone disease, neuromuscular disorders, cerebral palsy, absence or deformities of limbs, spina bifida, arthritis, back disorders, ataxia, bone formation or degeneration, scoliosis etc. Impairments may affect internal organs such as lung or liver.

#### CODE 5 Acquired brain injury

Acquired brain injury is used to describe multiple disabilities arising from damage to the brain acquired after birth. It results in deterioration in cognitive, physical, emotional or independent functioning. It can be as a result of accidents, stroke, brain tumours, infection, poisoning, lack of oxygen, degenerative neurological disease etc.

#### CODE 6 Neurological

Neurological disability applies to impairments of the nervous system occurring after birth and includes epilepsy and organic dementias (eg. Alzheimer's disease) as well as such conditions as multiple sclerosis and Parkinson's disease.

#### CODE 7 Deafblind

Deaf blind is used to describe dual sensory impairments causing severe restrictions in communication, and in the ability to participate in community life.

#### CODE 8 Vision

Vision disability encompasses blindness, vision impairment, visual handicap (not corrected by glasses or contact lenses).

#### CODE 9 Hearing

Hearing disability encompasses deafness, hearing impairment, hearing loss.

#### CODE 10 Speech

Speech disability encompasses speech loss, impairment and/or difficulty in communication.

#### CODE 11 Psychiatric

Psychiatric disability includes recognisable symptoms and behaviour patterns associated with distress that may impair personal functioning in normal social activity. Conditions such as schizophrenia, affective disorders, anxiety disorders, addictive behaviours, personality disorders, stress, psychosis, depression and adjustment disorders are included.

#### CODE 12 Developmental delay

Developmental delay is applicable to children aged 0-5 only. Conditions appearing in the early developmental period, with no specific diagnosis. Developmental delay maps into the intellectual/learning category of the International disability grouping.

## Data element attributes

## Collection and usage attributes

**Guide for use:**

This data element is collected twice:

- the primary disability group which can be considered as the disability group causing the most difficulty to the person (overall difficulty in daily life, not just within the context of the support offered by the service); and
- the disability group(s) (other than that indicated as being 'primary') that also clearly expresses the experience of disability by a person and/or the cause of difficulty for the person.

While only one option may be chosen for the primary disability group, multiple options may be chosen for other disability group(s) making sure they are different to the option chosen for the primary group. For example, a person with a primary disability group of acquired brain injury (code 5), who also requires support in aspects of their life due to a speech disability and a psychiatric disability, should be ticked for code 10 (speech) and code 11 (psychiatric). Code 5 should not be ticked in this example, since acquired brain injury would already have been reported under the data element Primary disability group.

This data element should ideally reflect the views of both the service user and the funded agency. If there is a difference, the funded agency's assessment should be recorded. (If the Primary disability group cannot easily be chosen, then define primary disability as the person's disability to which the service caters.)

## Relational attributes

**Related metadata references:**

Has been superseded by [Person \(with a disability\)—disability group, NDA code N\(N\)](#)

- [Community Services \(retired\)](#), Superseded 13/03/2013

**Implementation in Data Set Specifications:**

[Commonwealth State/Territory Disability Agreement NMDS - 1 July 2006](#)  
[Community Services \(retired\)](#), Superseded 14/12/2008

[Commonwealth State/Territory Disability Agreement NMDS \(July 2008\)](#)  
[Community Services \(retired\)](#), Superseded 11/11/2009