

# Person—ventricular ejection fraction test performed indicator, yes/no code N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	Ventricular ejection fraction measurement indicator
<b>Synonymous names:</b>	EF measurement indicator
<b>METEOR identifier:</b>	347672
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Health</a>, Standard 01/10/2008</li></ul>
<b>Definition:</b>	An indicator of whether a person's ventricular ejection fraction was measured, as represented by a code.
<b>Data Element Concept:</b>	<a href="#">Person—ventricular ejection fraction test performed indicator</a>

## Value domain attributes

## Representational attributes

<b>Representation class:</b>	Code						
<b>Data type:</b>	Number						
<b>Format:</b>	N						
<b>Maximum character length:</b>	1						
<b>Permissible values:</b>	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></tbody></table>	Value	Meaning	1	Yes	2	No
Value	Meaning						
1	Yes						
2	No						
<b>Supplementary values:</b>	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>9</td><td>Not stated/inadequately described</td></tr></tbody></table>	Value	Meaning	9	Not stated/inadequately described		
Value	Meaning						
9	Not stated/inadequately described						

## Collection and usage attributes

<b>Guide for use:</b>	CODE 9 Not stated/inadequately described This code is not for use in primary data collections.
-----------------------	---

# Data element attributes

## Collection and usage attributes

### Guide for use:

Code 1 Yes

Record if a test was performed to measure the person's ventricular ejection fraction.

Code 2 No

Record if no test was performed to measure the person's ventricular ejection fraction.

## Relational attributes

### Related metadata references:

See also [Ventricular ejection fraction test—test type, code N](#)

- [Health](#), Standard 01/10/2008

### Implementation in Data Set Specifications:

[Ventricular ejection fraction cluster](#)  
[Health](#), Standard 01/10/2008

© Australian Institute of Health and Welfare 2015–2022

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 3.0 (CC BY 3.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build upon this work. However, you must attribute the AIHW as the copyright holder of the work in compliance with our attribution policy available at [www.aihw.gov.au/copyright](http://www.aihw.gov.au/copyright). The full terms and conditions of this licence are available at <http://creativecommons.org/licenses/by3.0/au/>.

Enquiries relating to copyright should be addressed to the Head of the Communications, Media and Marketing Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601.