Person—timing of glycoprotein IIb/IIIa inhibitor prescription, code N

Exported from METEOR (AIHW's Metadata Online Registry)

Person—timing of glycoprotein IIb/IIIa inhibitor prescription, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Timing of glycoprotein IIb/IIIa inhibitor prescription
METEOR identifier:	349367
Registration status:	Health, Standard 01/10/2008
Definition:	The timing of care when a glycoprotein IIb/IIIa inhibitor is prescribed to a person, as represented by a code.

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Person—timing of glycoprotein IIb/IIIa inhibitor prescription
METEOR identifier:	349393
Registration status:	Health, Standard 01/10/2008
Definition:	The timing of care when a glycoprotein IIb/IIIa inhibitor is prescribed to a person.
Object class:	Person
Property:	Timing of glycoprotein IIb/IIIa inhibitor prescription

Value domain attributes

Identifying and definitional attributes

Value domain:	Timing of glycoproteinIIb/IIIa inhibitor prescription code N[N]
METEOR identifier:	349396
Registration status:	Health, Standard 01/10/2008
Definition:	A code set representing the timing of care glycoprotein IIb/IIIa inhibitor prescription.

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N	
Maximum character length:	1	
	Value	**Meaning**
Permissible values:	1	Initial medical management: preceding invasive management
	2	During invasive management
	3	Following invasive management
Supplementary values:	9	Not stated/inadequately described

Data element attributes

Collection and usage attributes

Guide for use:
Invasive management includes angiography, percutaneous coronary intervention and coronary artery bypass graft.

CODE 1   Initial medical management: preceding invasive management

Use this code when a glycoprotein IIb/IIIa inhibitor is prescribed before invasive management is to be performed.

CODE 2   During invasive management

Use this code when a glycoprotein IIb/IIIa inhibitor is prescribed while invasive management is being performed.

CODE 3   Following invasive management

Use this code when a glycoprotein IIb/IIIa inhibitor is prescribed after invasive management has been performed.

Collection methods:
Record each time a glycoprotein IIb/IIIa inhibitor is prescribed for a person.

Relational attributes

Implementation in Data Set Specifications:
Acute coronary syndrome pharmacotherapy data cluster
Health, Standard 01/10/2008
Conditional obligation: If prescribed, provide a phase for each time glycoprotein IIb/IIIa inhibitor therapy is prescribed.