

# Person—timing of glycoprotein IIb/IIIa inhibitor prescription, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Person—timing of glycoprotein IIb/IIIa inhibitor prescription, code N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	Timing of glycoprotein IIb/IIIa inhibitor prescription
<b>METEOR identifier:</b>	349367
<b>Registration status:</b>	<a href="#">Health</a> , Standard 01/10/2008
<b>Definition:</b>	The timing of care when a glycoprotein IIb/IIIa inhibitor is prescribed to a person, as represented by a code.
<b>Data Element Concept:</b>	<a href="#">Person—timing of glycoprotein IIb/IIIa inhibitor prescription</a>
<b>Value Domain:</b>	<a href="#">Timing of glycoprotein IIb/IIIa inhibitor prescription code N[N]</a>

## Value domain attributes

## Representational attributes

<b>Representation class:</b>	Code	
<b>Data type:</b>	Number	
<b>Format:</b>	N	
<b>Maximum character length:</b>	1	
	<b>Value</b>	<b>Meaning</b>
<b>Permissible values:</b>	1	Initial medical management: preceding invasive management
	2	During invasive management
	3	Following invasive management
<b>Supplementary values:</b>	9	Not stated/inadequately described

## Data element attributes

## Collection and usage attributes

<b>Guide for use:</b>	Invasive management includes angiography, percutaneous coronary intervention and coronary artery bypass graft.  CODE 1 Initial medical management: preceding invasive management  Use this code when a glycoprotein IIb/IIIa inhibitor is prescribed before invasive management is to be performed.  CODE 2 During invasive management  Use this code when a glycoprotein IIb/IIIa inhibitor is prescribed while invasive management is being performed.  CODE 3 Following invasive management  Use this code when a glycoprotein IIb/IIIa inhibitor is prescribed after invasive management has been performed.
<b>Collection methods:</b>	Record each time a glycoprotein IIb/IIIa inhibitor is prescribed for a person.

## Relational attributes

Implementation in Data Set [Acute coronary syndrome pharmacotherapy data cluster](#)

Specifications: [Health](#), Standard 01/10/2008

**Conditional obligation:** If prescribed, provide a phase for each time glycoprotein IIb/IIIa inhibitor therapy is prescribed.