

Person—timing of ACE-inhibitor prescription, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Timing of ACE-inhibitor prescription
METEOR identifier:	349385
Registration status:	<ul style="list-style-type: none">• Health, Standard 01/10/2008
Definition:	The timing of care when an ACE-inhibitor is prescribed to a person, as represented by a code.
Data Element Concept:	Person—timing of ACE-inhibitor prescription

Value domain attributes

Representational attributes

Representation class:	Code										
Data type:	Number										
Format:	N										
Maximum character length:	1										
Permissible values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>1</td><td>Prior to presentation at hospital</td></tr><tr><td>2</td><td>First 24 hours of presentation</td></tr><tr><td>3</td><td>After 24 hours and before discharge</td></tr><tr><td>4</td><td>At discharge</td></tr></tbody></table>	Value	Meaning	1	Prior to presentation at hospital	2	First 24 hours of presentation	3	After 24 hours and before discharge	4	At discharge
Value	Meaning										
1	Prior to presentation at hospital										
2	First 24 hours of presentation										
3	After 24 hours and before discharge										
4	At discharge										
Supplementary values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>9</td><td>Not stated/inadequately described</td></tr></tbody></table>	Value	Meaning	9	Not stated/inadequately described						
Value	Meaning										
9	Not stated/inadequately described										

Data element attributes

Collection and usage attributes

Guide for use:

CODE 1 Prior to presentation at hospital

Use this code when the person has been previously prescribed an ACE-inhibitor prior to presentation at the hospital and the person is still following the prescription.

CODE 2 First 24 hours of presentation

Use this code when an ACE-inhibitor is prescribed within the first 24 hours following presentation to the hospital.

CODE 3 After 24 hours and before discharge

Use this code when an ACE-inhibitor is prescribed following the first 24 hours after presentation to the hospital and before discharge from the hospital.

CODE 4 At discharge

Use this code when an ACE-inhibitor is prescribed at discharge from the hospital.

Collection methods:

Record each time an ACE-inhibitor is prescribed for the person.

Relational attributes**Implementation in Data Set Specifications:**

[Acute coronary syndrome pharmacotherapy data cluster Health](#), Standard 01/10/2008

Conditional obligation:

If prescribed, provide a phase for each time ACE-inhibitor therapy is prescribed.