

# Person—timing of ACE-inhibitor prescription, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Person—timing of ACE-inhibitor prescription, code N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	Timing of ACE-inhibitor prescription
<b>METEOR identifier:</b>	349385
<b>Registration status:</b>	<a href="#">Health</a> , Standard 01/10/2008
<b>Definition:</b>	The timing of care when an ACE-inhibitor is prescribed to a person, as represented by a code.
<b>Data Element Concept:</b>	<a href="#">Person—timing of ACE-inhibitor prescription</a>
<b>Value Domain:</b>	<a href="#">Timing of prescription N</a>

## Value domain attributes

## Representational attributes

<b>Representation class:</b>	Code
<b>Data type:</b>	Number
<b>Format:</b>	N
<b>Maximum character length:</b>	1

	Value	Meaning
<b>Permissible values:</b>	1	Prior to presentation at hospital
	2	First 24 hours of presentation
	3	After 24 hours and before discharge
	4	At discharge
<b>Supplementary values:</b>	9	Not stated/inadequately described

## Data element attributes

## Collection and usage attributes

<b>Guide for use:</b>	<p>CODE 1 Prior to presentation at hospital</p> <p>Use this code when the person has been previously prescribed an ACE-inhibitor prior to presentation at the hospital and the person is still following the prescription.</p> <p>CODE 2 First 24 hours of presentation</p> <p>Use this code when an ACE-inhibitor is prescribed within the first 24 hours following presentation to the hospital.</p> <p>CODE 3 After 24 hours and before discharge</p> <p>Use this code when an ACE-inhibitor is prescribed following the first 24 hours after presentation to the hospital and before discharge from the hospital.</p> <p>CODE 4 At discharge</p> <p>Use this code when an ACE-inhibitor is prescribed at discharge from the hospital.</p>
-----------------------	---

**Collection methods:** Record each time an ACE-inhibitor is prescribed for the person.

## Relational attributes

**Implementation in Data Set** [Acute coronary syndrome pharmacotherapy data cluster](#)

**Specifications:** [Health](#), Standard 01/10/2008

**Conditional obligation:** If prescribed, provide a phase for each time ACE-inhibitor therapy is prescribed.