Acute coronary syndrome pharmacotherapy type taken post discharge code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Acute coronary syndrome pharmacotherapy type taken post discharge code N[N]

Identifying and definitional attributes

Metadata item type:	Value Domain
METEOR identifier:	349476
Registration status:	Health, Standard 01/10/2008
Definition:	A code set representing the type of pharmacotherapy taken after discharge from hospital.

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N[N]	
Maximum character length:	2	
	Value	Meaning
Permissible values:	1	Aspirin
	2	Angiotensin converting enzyme (ACE) inhibitor
	3	Angiotensin II receptor blocker
	4	Beta-blocker
	5	Clopidogrel
	6	Statin
Supplementary values:	99	Not stated/inadequately described

Collection and usage attributes

Guide for use:	CODE 1 Aspirin
	Includes: aspirin, astrix, cardiprin, cartia, aspro, disprin and solprin
	CODE 2 Angiotensin converting enzyme (ACE) inhibitor
	Includes: captopril, enalapril, fosinopril, lisinopril, perindopril, quinapril, ramipril and trandolapril
	CODE 3 Angiotensin II receptor blocker
	Includes: candesartan, eprosartan, irbesartan, losartin and temisartan
	CODE 4 Beta-blocker
	Includes: atenolol, bisoprolol, carvedilol, esmolol, labetolol, metoprolol, oxprenolol, pindolol, propranolol and sotalol
	CODE 5 Clopidogrel
	Includes: iscover and plavix
	CODE 6 Statin
	Includes: atorvastatin, fluvastatin, pravastatin and simvastatin

Relational attributes

Data elements implementing this value domain: Person with acute coronary syndrome—pharmacotherapy type taken post discharge from hospital, code N[N] Health, Standard 01/10/2008