Ventricular ejection fraction—test time

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Ventricular ejection fraction—test time

Identifying and definitional attributes

| Metadata item type: | Data Element Concept |
|----------------------|---|
| METEOR identifier: | 349815 |
| Registration status: | Health, Standard 01/10/2008 |
| Definition: | The time when a person's ventricular ejection fraction is measured. |

Object Class attributes

Identifying and definitional attributes

| Object class: | Ventricular ejection fraction test |
|--------------------|--|
| Definition: | Test used to measure the amount of blood pumped out of a ventricle per heart beat. |
| Specialisation of: | Service/care event |

Property attributes

Identifying and definitional attributes

| Property: | Ventricular ejection fraction test time |
|-----------------|--|
| Definition: | The time when the ventricular ejection fraction test is performed. |
| Property group: | Service provision event |

Data element concept attributes

Relational attributes

Data ElementsVentricular ejection fraction test—test time, hhmmimplementing this DataHealth, Standard 01/10/2008Element Concept: