

# Ventricular ejection fraction—test time

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Ventricular ejection fraction—test time

## Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	349815
Registration status:	<a href="#">Health</a> , Standard 01/10/2008
Definition:	The time when a person's ventricular ejection fraction is measured.

## Object Class attributes

### Identifying and definitional attributes

Object class:	<a href="#">Ventricular ejection fraction test</a>
Definition:	Test used to measure the amount of blood pumped out of a ventricle per heart beat.
Specialisation of:	<a href="#">Service/care event</a>

## Property attributes

### Identifying and definitional attributes

Property:	<a href="#">Ventricular ejection fraction test time</a>
Definition:	The time when the ventricular ejection fraction test is performed.
Property group:	<a href="#">Service provision event</a>

## Data element concept attributes

### Relational attributes

Data Elements implementing this Data Element Concept:	<a href="#">Ventricular ejection fraction test—test time, hhmm</a> <a href="#">Health</a> , Standard 01/10/2008
---	--