

Person—timing of angiotensin II receptor blocker prescription, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Timing of angiotensin II receptor blocker prescription
METEOR identifier:	350421
Registration status:	<ul style="list-style-type: none">• Health, Standard 01/10/2008
Definition:	The timing of care when an angiotensin II receptor blocker is prescribed to a person, as represented by a code.
Data Element Concept:	Person—timing of angiotensin II receptor blocker prescription

Value domain attributes

Representational attributes

Representation class:	Code										
Data type:	Number										
Format:	N										
Maximum character length:	1										
Permissible values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>1</td><td>Prior to presentation at hospital</td></tr><tr><td>2</td><td>First 24 hours of presentation</td></tr><tr><td>3</td><td>After 24 hours and before discharge</td></tr><tr><td>4</td><td>At discharge</td></tr></tbody></table>	Value	Meaning	1	Prior to presentation at hospital	2	First 24 hours of presentation	3	After 24 hours and before discharge	4	At discharge
Value	Meaning										
1	Prior to presentation at hospital										
2	First 24 hours of presentation										
3	After 24 hours and before discharge										
4	At discharge										
Supplementary values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>9</td><td>Not stated/inadequately described</td></tr></tbody></table>	Value	Meaning	9	Not stated/inadequately described						
Value	Meaning										
9	Not stated/inadequately described										

Data element attributes

Collection and usage attributes

Guide for use:

CODE 1 Prior to presentation at hospital

Use this code when the person has been previously prescribed an angiotensin II receptor blocker prior to presentation at the hospital and the person is still following the prescription.

CODE 2 First 24 hours of presentation

Use this code when an angiotensin II receptor blocker is prescribed within the first 24 hours following presentation to the hospital.

CODE 3 After 24 hours and before discharge

Use this code when an angiotensin II receptor blocker is prescribed following the first 24 hours after presentation to the hospital and before discharge from the hospital.

CODE 4 At discharge

Use this code when an angiotensin II receptor blocker is prescribed at discharge from the hospital.

Collection methods:

Record each time an angiotensin II receptor blocker is prescribed for the person.

Relational attributes**Implementation in Data Set****Specifications:**

[Acute coronary syndrome pharmacotherapy data cluster Health](#), Standard 01/10/2008

Conditional obligation:

If prescribed, provide a phase for each time angiotensin II receptor blocker therapy is prescribed.