# Person—timing of antithrombin therapy prescription, code N



You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# Person—timing of antithrombin therapy prescription, code N

#### Identifying and definitional attributes

Metadata item type: Data Element

**Short name:** Timing of antithrombin therapy prescription

METEOR identifier: 350510

Registration status: Health, Standard 01/10/2008

**Definition:** The timing of care when antithrombin therapy is prescribed to a person, as

represented by a code.

## Data element concept attributes

#### Identifying and definitional attributes

Data element concept: Person—timing of antithrombin therapy prescription

METEOR identifier: 350505

Registration status: Health, Standard 01/10/2008

**Definition:** The timing of care when antithrombin therapy is prescribed to a person.

Object class: Person

Property: <u>Timing of antithrombin therapy prescription</u>

#### Value domain attributes

#### Identifying and definitional attributes

Value domain: <u>Timing of antithrombin therapy prescription code N</u>

METEOR identifier: 350508

**Registration status:** <u>Health,</u> Standard 01/10/2008

**Definition:** A code set representing the timing of the prescription of antithrombin therapy.

### Representational attributes

Representation class: Code

Data type: Number

Format: N

Maximum character length: 1

Value Meaning

Permissible values: 1 Initial medical management: preceding reperfusion

therapy

2 During reperfusion therapy

3 Following reperfusion therapy

**Supplementary values:** 9 Not stated/inadequately described

#### Source and reference attributes

Reference documents: National Heart Foundation of Australia and Cardiac Society of Australia and New

Zealand, Guidelines for the management of acute coronary syndromes 2006, Med

J Aust; 184; S1-S32. © MJA2006.

#### Data element attributes

#### Collection and usage attributes

**Guide for use:** Reperfusion therapy includes percutaneous coronary intervention and fibrinolytic

therapy.

CODE 1 Initial medical management: preceding reperfusion therapy

Use this code when antithrombin therapy is prescribed before reperfusion therapy

is to be performed.

CODE 2 During reperfusion therapy

Use this code when antithrombin therapy is prescribed while reperfusion therapy is

being performed.

CODE 3 Following reperfusion therapy

Use this code when antithrombin therapy is prescribed after reperfusion therapy

has been performed.

**Collection methods:** Record for each time antithrombin therapy is prescribed for the person.

Relational attributes

Health, Standard 01/10/2008

Specifications:

Conditional obligation: If prescribed, provide a phase for each time antithrombin

therapy is prescribed