

Person—timing of antithrombin therapy prescription, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person—timing of antithrombin therapy prescription, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Timing of antithrombin therapy prescription
METEOR identifier:	350510
Registration status:	Health , Standard 01/10/2008
Definition:	The timing of care when antithrombin therapy is prescribed to a person, as represented by a code.
Data Element Concept:	Person—timing of antithrombin therapy prescription
Value Domain:	Timing of antithrombin therapy prescription code N

Value domain attributes

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	Initial medical management: preceding reperfusion therapy
	2	During reperfusion therapy
	3	Following reperfusion therapy
Supplementary values:	9	Not stated/inadequately described

Source and reference attributes

Reference documents:	National Heart Foundation of Australia and Cardiac Society of Australia and New Zealand, Guidelines for the management of acute coronary syndromes 2006, Med J Aust; 184; S1-S32. © MJA2006.
-----------------------------	--

Data element attributes

Collection and usage attributes

Guide for use: Reperfusion therapy includes percutaneous coronary intervention and fibrinolytic therapy.

CODE 1 Initial medical management: preceding reperfusion therapy

Use this code when antithrombin therapy is prescribed before reperfusion therapy is to be performed.

CODE 2 During reperfusion therapy

Use this code when antithrombin therapy is prescribed while reperfusion therapy is being performed.

CODE 3 Following reperfusion therapy

Use this code when antithrombin therapy is prescribed after reperfusion therapy has been performed.

Collection methods: Record for each time antithrombin therapy is prescribed for the person.

Relational attributes

Implementation in Data Set [Acute coronary syndrome pharmacotherapy data cluster](#)

Specifications: [Health](#), Standard 01/10/2008

Conditional obligation: If prescribed, provide a phase for each time antithrombin therapy is prescribed