

# **Person—clinical evidence status (acute coronary syndrome related medical history), yes/no code N**

**Exported from METEOR (AIHW's Metadata Online Registry)**

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Person—clinical evidence status (acute coronary syndrome related medical history), yes/no code N

## Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Clinical evidence of acute coronary syndrome related medical history
METEOR identifier:	356777
Registration status:	<a href="#">Health</a> , Standard 01/10/2008
Definition:	An indicator of whether there is objective evidence for a person's history of an acute coronary syndrome related medical condition, as represented by a code.
Data Element Concept:	<a href="#">Person—clinical evidence status (acute coronary syndrome related medical history)</a>
Value Domain:	<a href="#">Yes/no/not stated/inadequately described code N</a>

## Value domain attributes

## Representational attributes

<b>Representation class:</b>	Code	
<b>Data type:</b>	Boolean	
<b>Format:</b>	N	
<b>Maximum character length:</b>	1	
	<b>Value</b>	<b>Meaning</b>
<b>Permissible values:</b>	1	Yes
	2	No
<b>Supplementary values:</b>	9	Not stated/inadequately described

## Collection and usage attributes

Guide for use:	CODE 9 Not stated/inadequately described
	This code is not for use in primary data collections.

## Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
--------------------------	--

## Data element attributes

## Collection and usage attributes

**Guide for use:**

CODE 1    Yes

Use this code where there is objective evidence to support a history of an acute coronary syndrome related medical condition.

CODE 2    No

Use this code where the history is not supported by objective evidence.

Objective evidence for acute coronary syndrome related medical conditions are classified as:

Chronic lung disease:

Diagnosis supported by current use of chronic lung disease pharmacological therapy (e.g. inhalers, theophylline, aminophylline, or steroids), or a forced expiratory volume in 1 second (FEV1) less than 80% predicted FEV1/forced vital capacity (FVC) less than 0.7 (post bronchodilator). Respiratory failure partial pressure of oxygen (PaO<sub>2</sub>) less than 60 mmHg (8kPa), or partial pressure of carbon dioxide (PaCO<sub>2</sub>) greater than 50 mmHg (6.7 kPa).

Heart failure:

Current symptoms of heart failure (typically shortness of breath or fatigue), either at rest or during exercise and/or signs of pulmonary or peripheral congestion and objective evidence of cardiac dysfunction at rest. The diagnosis is derived from and substantiated by clinical documentation from testing according to current practices.

Stroke:

Diagnosis for ischaemic: non-haemorrhagic cerebral infarction or haemorrhagic: intracerebral haemorrhage supported by cerebral imaging (CT or MRI).

Peripheral arterial disease:

- Peripheral artery disease: diagnosis is derived from and substantiated by clinical documentation for a person with a history of either chronic or acute occlusion or narrowing of the arterial lumen in the aorta or extremities.
- Aortic aneurysm: diagnosis of aneurysmal dilatation of the aorta (thoracic and or abdominal) supported and substantiated by appropriate documentation of objective testing.
- Renal artery stenosis: diagnosis of functional stenosis of one or both renal arteries is present and is supported and substantiated by appropriate documentation of objective testing.

Sleep apnoea:

Diagnosis derived from and substantiated by clinical documentation of sleep apnoea syndrome (SAS). SAS has been diagnosed from the results of a sleep study.

Other vascular conditions:

- Atrial fibrillation: diagnosis supported by electrocardiogram findings.
- Other cardiac arrhythmias and conductive disorders: diagnosis supported by electrocardiogram findings.
- Left ventricular hypertrophy: diagnosis supported by echocardiograph evidence.

**Collection methods:** For each of the following medical conditions the clinical evidence status must also be recorded:

- Chronic lung disease
- Heart failure
- Stroke
- Peripheral arterial disease
- Sleep apnoea syndrome
- Other vascular conditions

**Comments:** Heart failure:

Chronic heart failure is a complex clinical syndrome with typical symptoms (e.g. shortness of breath, fatigue) that can occur at rest or on effort, and is characterised by objective evidence of an underlying structural abnormality of cardiac dysfunction that impairs the ability of the ventricle to fill with or eject blood (particularly during physical activity).

The most widely available investigation for documenting left ventricular dysfunction is the transthoracic echocardiogram (TTE). Other modalities include:

- transoesophageal echocardiography (TOE)
- gated radionuclide angiocardigraphy
- angiographic left ventriculography

In the absence of any adjunctive laboratory tests, evidence of supportive clinical signs of ventricular dysfunction. These include:

- cardiac auscultation (S3, cardiac murmurs),
- cardiomegaly,
- elevated jugular venous pressure (JVP),
- chest X-ray evidence of pulmonary congestion

## Source and reference attributes

**Submitting organisation:** Acute coronary syndrome data working group

**Reference documents:** The Thoracic Society of Australia & New Zealand and the Australian Lung Foundation, Chronic Obstructive Pulmonary Disease (COPD) Australian & New Zealand Management Guidelines and the COPD Handbook. Version 1, November 2002.

National Heart Foundation of Australia and the Cardiac Society of Australia and New Zealand (Chronic Heart Failure Guidelines Expert Writing Panel). Guidelines for the prevention, detection and management of chronic heart failure in Australia, 2006.

## Relational attributes

**Related metadata references:**

Supersedes [Person—clinical evidence status \(chronic lung disease\), code N Health](#), Superseded 01/10/2008

Supersedes [Person—clinical evidence status \(heart failure\), code N Health](#), Superseded 01/10/2008

Supersedes [Person—clinical evidence status \(peripheral arterial disease\), code N Health](#), Superseded 01/10/2008

Supersedes [Person—clinical evidence status \(sleep apnoea syndrome\), code N Health](#), Superseded 01/10/2008

Supersedes [Person—clinical evidence status \(stroke\), code N Health](#), Superseded 01/10/2008

**Implementation in Data Set Specifications:** [Acute coronary syndrome \(clinical\) DSS](#)  
[Health](#), Superseded 01/09/2012  
[Acute coronary syndrome \(clinical\) DSS](#)  
[Health](#), Superseded 02/05/2013  
[Acute coronary syndrome \(clinical\) NBPDS 2013-](#)  
[Health](#), Standard 02/05/2013  
**Implementation start date:** 01/07/2013