

# Person—percutaneous coronary intervention procedure type, code N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	Percutaneous coronary intervention procedure type
<b>Synonymous names:</b>	PCI procedure type
<b>METEOR identifier:</b>	359751
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Health</a>, Standard 01/10/2008</li></ul>
<b>Definition:</b>	The type of procedure performed during a percutaneous coronary intervention (PCI), as represented by a code.
<b>Data Element Concept:</b>	<a href="#">Person—percutaneous coronary intervention procedure type</a>

## Value domain attributes

### Representational attributes

<b>Representation class:</b>	Code								
<b>Data type:</b>	String								
<b>Format:</b>	N								
<b>Permissible values:</b>	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>1</td><td>Balloon angioplasty only</td></tr><tr><td>2</td><td>Bare metal stent implantation</td></tr><tr><td>3</td><td>Drug-eluting stent implantation</td></tr></tbody></table>	Value	Meaning	1	Balloon angioplasty only	2	Bare metal stent implantation	3	Drug-eluting stent implantation
Value	Meaning								
1	Balloon angioplasty only								
2	Bare metal stent implantation								
3	Drug-eluting stent implantation								

<b>Supplementary values:</b>	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>99</td><td>Not stated/inadequately described</td></tr></tbody></table>	Value	Meaning	99	Not stated/inadequately described
Value	Meaning				
99	Not stated/inadequately described				

### Collection and usage attributes

**Guide for use:**

CODE 1 Balloon angioplasty only

Use this code where only balloon angioplasty has been performed during a percutaneous coronary intervention.

CODE 2 Bare metal stent implantation

Use this code where a bare metal stent has been implanted during a percutaneous coronary intervention.

CODE 3 Drug-eluting stent implantation

Use this code where at least one drug-eluting stent has been implanted during a percutaneous coronary intervention (i.e. if more than one stent has been placed during the procedure and at least one stent is a drug-eluting stent).

CODES 2 and 3 include the performance of balloon angioplasty.

## Data element attributes

## Source and reference attributes

**Steward:**

[The National Heart Foundation of Australia and The Cardiac Society of Australia and New Zealand](#)

## Relational attributes

**Implementation in Data Set Specifications:**

[Coronary artery cluster Health](#), Standard 01/10/2008

***Conditional obligation:***

Record when a percutaneous coronary intervention is performed. This includes those performed for primary, rescue or revascularisation reasons.

© Australian Institute of Health and Welfare 2015–2022

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 3.0 (CC BY 3.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build upon this work. However, you must attribute the AIHW as the copyright holder of the work in compliance with our attribution policy available at [www.aihw.gov.au/copyright](http://www.aihw.gov.au/copyright). The full terms and conditions of this licence are available at <http://creativecommons.org/licenses/by3.0/au/>.

Enquiries relating to copyright should be addressed to the Head of the Communications, Media and Marketing Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601.

