Female (pregnant)—number of cigarettes smoked (per day first 20 weeks of pregnancy), number NINN1

Exported from METEOR (AIHW's Metadata Online Registry)
© Australian Institute of Health and Welfare 2024
This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Female (pregnant)—number of cigarettes smoked (per day first 20 weeks of pregnancy), number N[NN]

Identifying and definitional attributes

Metadata item type: Data Element

Short name: Number of tobacco cigarettes smoked per day first 20 weeks of pregnancy

METEOR identifier: 365441

Registration status: Health, Standard 03/12/2008

Definition: The self-reported number of cigarettes usually smoked daily by a woman during the

first 20 weeks of pregnancy

Context: Perinatal Statistics

Data Element Concept: Female (pregnant)—number of cigarettes smoked (first 20 weeks of pregnancy)

Value Domain: Number of tobacco cigarettes N[NN]

Value domain attributes

Representational attributes

Representation class: Quantity

Data type: Number

Format: N[NN]

Maximum character length: 3

Value Meaning

Supplementary values: 998 Occasional smoking (less than one)

999 Not stated/inadequately described

Data element attributes

Collection and usage attributes

Guide for use: Data should be collected after the first 20 weeks of pregnancy; e.g. the next

antenatal visit after the first 20 weeks would be an ideal time.

'The first 20 weeks of pregnancy' is defined as less than or equal to 19 weeks + 6

days.

'Usually' is defined as 'according to established, or frequent usage; commonly, ordinarily; as a rule'. If a woman reports having quit smoking at some point during the first 20 weeks of pregnancy, the value recorded should be the number of

cigarettes usually smoked daily prior to quitting.

Collection methods: Recommended question: 'How many tobacco cigarettes did the woman usually

smoke during the first 20 weeks of pregnancy?', where the first 20 weeks of

pregnancy is defined as less than or equal to 19 weeks + 6 days.

If a woman did not smoke tobacco cigarettes at any time during the first 20 weeks

of pregnancy, a value of 000 should be recorded.

Occasional smoking

Women who report that they usually smoked less than one tobacco cigarette per

day should have a value recorded of 998.

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Relational attributes

Related metadata references:

Has been superseded by Female—number of tobacco cigarettes smoked per day

in the first 20 weeks of pregnancy, total N[NN]
Tasmanian Health, Standard 09/11/2023

Implementation in Indicators:

National Core Maternity Indicators: PI 01-Tobacco smoking in pregnancy for all

women giving birth (2013)

Health, Superseded 02/02/2016

National Core Maternity Indicators: PI01—Tobacco smoking in pregnancy for all

women giving birth (2016)

Health, Superseded 06/09/2018