

Person with acute coronary syndrome—bleeding location, non-instrumented code N(N)

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person with acute coronary syndrome—bleeding location, non-instrumented code N(N)

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Non-instrumented bleeding location
Synonymous names:	Non-instrumented bleeding site
METEOR identifier:	372012
Registration status:	Health , Standard 01/10/2008
Definition:	The location of the person's bleeding episode, arising from a non-instrumented site, as represented by a code.
Data Element Concept:	Person with acute coronary syndrome—bleeding location
Value Domain:	Non-instrumented bleeding location code N(N)

Value domain attributes

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N[N]
Maximum character length:	2

	Value	Meaning
Permissible values:	1	Gastrointestinal site
	2	Genitourinary site
	3	Intracranial site
	4	Pulmonary site
	5	Pericardial site
	6	Other site(s)
	7	Unidentified site
Supplementary values:	99	Not stated/inadequately described

Collection and usage attributes

Guide for use:

NOTE: Excludes bleeding arising from instrumented sites.

CODE 1 Gastrointestinal site

Use this code when the person's spontaneous bleeding is originating from the gastrointestinal area.

CODE 2 Genitourinary site

Use this code when the person's spontaneous bleeding is originating from the genitourinary area.

CODE 3 Intracranial site

Use this code when the person's spontaneous bleeding is originating from an intracranial site.

CODE 4 Pulmonary site

Use this code when the person's spontaneous bleeding is originating from a pulmonary site.

CODE 5 Pericardial site

Use this code when the person's spontaneous bleeding is originating from the pericardium.

CODE 6 Other site(s)

Use this code when the person's spontaneous bleeding is originating from a site not listed in codes 1-5.

CODE 7 Unidentified site

Use this code when the person has a fall in haemoglobin without an identifiable spontaneous site of bleeding.

CODE 99 Not stated/inadequately described

Not for use in primary data collections.

Data element attributes

Collection and usage attributes

Guide for use:

Record the location of all bleeding events that occur. More than one code can be applied.

Relational attributes

Related metadata references:

See also [Person with acute coronary syndrome—bleeding location, instrumented code N\(N\)](#)

[Health](#), Standard 01/10/2008

Implementation in Data Set Specifications:

[Acute coronary syndrome \(clinical\) DSS](#)

[Health](#), Superseded 01/09/2012

[Acute coronary syndrome \(clinical\) DSS](#)

[Health](#), Superseded 02/05/2013

[Acute coronary syndrome \(clinical\) NBPDS 2013-](#)

[Health](#), Standard 02/05/2013

Implementation start date: 01/07/2013