

# Healthcare associated *Staphylococcus aureus* bacteraemia clinical criteria, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Healthcare associated *Staphylococcus aureus* bacteraemia clinical criteria, code N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Value Domain
<b>METEOR identifier:</b>	388926
<b>Registration status:</b>	<a href="#">Health</a> , Superseded 09/12/2022
<b>Definition:</b>	A code set representing the key clinical criteria that are used to determine whether a patient episode of <i>Staphylococcus aureus</i> bacteraemia (SAB) is healthcare associated, when the patient's first SAB blood culture was collected less than or equal to 48 hours after hospital admission.

## Representational attributes

<b>Representation class:</b>	Code	
<b>Data type:</b>	Number	
<b>Format:</b>	N	
<b>Maximum character length:</b>	1	
	<b>Value</b>	<b>Meaning</b>
<b>Permissible values:</b>	1	The patient episode of SAB is a complication of the presence of an indwelling medical device (e.g. intravascular line, haemodialysis vascular access, CSF shunt, urinary catheter)
	2	The patient episode of SAB occurs within 30 days of a surgical procedure where the SAB is related to the surgical site
	3	The patient episode of SAB was diagnosed within 48 hours of a related invasive instrumentation or incision
	4	The patient episode of SAB is associated with neutropenia (Neutrophils: less than $1 \times 10^9/L$ ) contributed to by cytotoxic therapy
<b>Supplementary values:</b>	7	Not applicable
	8	Unknown
	9	Not stated/inadequately described

## Source and reference attributes

<b>Submitting organisation:</b>	Australian Commission on Safety and Quality in Health Care (ACSQHC)
<b>Origin:</b>	ACSQHC Healthcare Associated Infection Technical Working Group

## Relational attributes

<b>Related metadata references:</b>	Has been superseded by <a href="#">Healthcare associated <i>Staphylococcus aureus</i> bloodstream infection clinical criteria code N</a> <a href="#">Health</a> , Standard 09/12/2022
<b>Data elements implementing this value domain:</b>	<a href="#">Patient episode of <i>Staphylococcus aureus</i> bacteraemia—most probable healthcare associated <i>Staphylococcus aureus</i> bacteraemia clinical criteria, code N</a> <a href="#">Health</a> , Superseded 09/12/2022

