# Patient episode of Staphylococcus aureus bacteraemia—most probable healthcare associated Staphylococcus aureus bacteraemia clinical criteria, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

## Patient episode of Staphylococcus aureus bacteraemia—most probable healthcare associated Staphylococcus aureus bacteraemia clinical criteria, code N

## Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Healthcare associated Staphylococcus aureus bacteraemia clinical criteria
METEOR identifier:	388928
Registration status:	Health, Superseded 09/12/2022
Definition:	Most probable clinical criteria for a healthcare associated patient episode of <i>Staphylococcus aureus</i> bacteraemia (SAB) when the patient's first SAB positive blood culture was collected less than or equal to 48 hours after hospital admission, as represented by a code.
Data Element Concept:	Patient episode of Staphylococcus aureus bacteraemia—most probable healthcare associated Staphylococcus aureus bacteraemia clinical criteria
Value Domain:	Healthcare associated Staphylococcus aureus bacteraemia clinical criteria, code

## Value domain attributes

#### **Representational attributes**

Representation class:	Code	
Data type:	Number	
Format:	Ν	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	The patient episode of SAB is a complication of the presence of an indwelling medical device (e.g. intravascular line, haemodialysis vascular access, CSF shunt, urinary catheter)
	2	The patient episode of SAB occurs within 30 days of a surgical procedure where the SAB is related to the surgical site
	3	The patient episode of SAB was diagnosed within 48 hours of a related invasive instrumentation or incision
	4	The patient episode of SAB is associated with neutropenia (Neutrophils: less than 1 x 10^9/L) contributed to by cytotoxic therapy
Supplementary values:	7	Not applicable
	8	Unknown
	9	Not stated/inadequately described

#### Source and reference attributes

Submitting organisation:	Australian Commission on Safety and Quality in Health	Care (ACSQHC)
Origin:	ACSQHC Healthcare Associated Infection Technical W	/orking Group
Metadata 388928	Page 2 of 3	Downloaded 26-Apr-2024

### Collection and usage attributes

Guide for use:	A <i>Staphylococcus aureus</i> bacteraemia (SAB) will be considered to be a healthcare associated event if:		
	EITHER		
	<ul> <li>the patient's first SAB blood culture was collected more than 48 hours after hospital admission or less than 48 hours after discharge</li> </ul>		
	OR		
	<ul> <li>the patient's first SAB blood culture was collected less than or equal to 48 hours after hospital admission and one or more of the following key clinical criteria was met for the patient-episode of SAB.</li> </ul>		
	<ol> <li>SAB is a complication of the presence of an indwelling medical device (e.g. intravascular line, haemodialysis vascular access, CSF shunt, urinary catheter)</li> </ol>		
	<ol> <li>SAB occurs within 30 days of a surgical procedure where the SAB is related to the surgical site</li> </ol>		
	3. SAB was diagnosed within 48 hours of a related invasive instrumentation or incision		
	<ol> <li>SAB is associated with neutropenia (Neutrophils: less than 1 x 10<sup>9</sup>/L) contributed to by cytotoxic therapy</li> </ol>		
	The most probable healthcare associated clinical criteria should be selected.		
	If none of these criteria are met, then the SAB will be considered to be community- acquired for the purposes of surveillance.		
Comments:	To identify whether SABs are community associated or healthcare associated, SABs should undergo a standard case review by a healthcare worker trained in Infectious Diseases/Infection Control.		
Source and reference attributes			
Submitting organisation:	Australian Commission on Safety and Quality in Health Care (ACSQHC)		
Origin:	ACSQHC Healthcare Associated Infection Technical Working Group		

#### **Relational attributes**

Related metadata references:	Has been superseded by <u>Patient episode of Staphylococcus aureus bloodstream</u> infection—most probable origin, healthcare associated clinical criteria code N <u>Health</u> , Standard 09/12/2022
Implementation in Data Set Specifications:	Surveillance of healthcare associated infection: Staphylococcus aureus bacteraemia NBPDS Health, Superseded 09/12/2022