

# National Healthcare Agreement: P61-Teenage birth rate, 2010 QS

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# National Healthcare Agreement: P61-Teenage birth rate, 2010 QS

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Quality Statement
<b>METEOR identifier:</b>	393087
<b>Registration status:</b>	<a href="#">Health</a> , Superseded 08/06/2011

## Data quality

### Data quality statement summary:

- The numerator includes births to mothers aged less than 15 years, however the denominator only includes women aged 15 to 19 years. This may result in the rate being slightly overstated.
- Since 2005, all jurisdictions collect information on Indigenous status of the mother in accordance with the Perinatal National Minimum Data Set (NMDS).
- No formal national assessment has been undertaken to determine completeness of the coverage or identification of Indigenous mothers in the National Perinatal Data Collection (NPDC) or to determine variability between states and territories. The current data have not been adjusted for under-identification of Indigenous status of the mother. Comparisons between states and territories should be interpreted with this caution.
- Area of usual residence of the mother is included in the NMDS and data are complete for over 99.9% mothers.

**Institutional environment:** The Australian Institute of Health and Welfare (AIHW) has calculated this indicator.

Data included in the National Perinatal Data Collection are collected as part of a National Minimum Data Set and were supplied by state and territory health authorities to the National Perinatal Statistics Unit (NPSU), a collaborating unit of the Institute. The state and territory health authorities receive these data from patient administrative and clinical records. This information is usually collected by midwives or other birth attendants. States and territories use these data for service planning, monitoring and internal and public reporting.

The AIHW is an independent statutory authority within the Health and Ageing portfolio, which is accountable to the Parliament of Australia through the Minister. For further information see the AIHW website.

States and territories supplied these data under the terms of the National Health Information Agreement (see link).

[http://www.aihw.gov.au/committees/simc/final\\_nhia\\_signed.doc](http://www.aihw.gov.au/committees/simc/final_nhia_signed.doc)

Data specifications for the Perinatal NMDS are documented in the AIHW online metadata repository —METeOR (see link).

</content/index.phtml/itemId/181162>

**Timeliness:** The reference period for the data is 2007.

**Accessibility:** The AIHW provides a variety of products that draw upon the NPDC. Published products available on the AIHW website are:

- *Australia's mothers and babies annual report*
- *Indigenous mothers and their babies, Australia 2001-2004*
- METeOR – online metadata repository
- *National health data dictionary*.

Adhoc data are also available on request (charges apply to recover costs).

**Interpretability:**

Supporting information on the quality and use of the NPDC are published annually in *Australia's mothers and babies* (Chapter 1), available in hard copy or on the AIHW website.

Comprehensive information on the quality of Perinatal NMDS elements are published in *Perinatal National Minimum Data Set compliance evaluation 2001 to 2005*. Readers are advised to read caveat information to ensure appropriate interpretation of the performance indicator. More detailed information on the quality of Indigenous data that might affect interpretation of the indicator was published in *Indigenous mothers and their babies, Australia 2001-2004* (Chapter 1 & Chapter 5). Metadata information for the Perinatal NMDS are published in the AIHW's online metadata repository —METeOR, and the *National Health Data Dictionary*.

**Relevance:**

The National Perinatal Data Collection comprises data items as specified in the Perinatal National Minimum Data Set plus additional items collected by the states and territories. The purpose of the Perinatal NMDS is to collect information at birth for monitoring pregnancy, childbirth and the neonatal period for both the mother and baby(s).

The Perinatal NMDS is a specification for data collected on all births in Australia in hospitals, birth centres and the community. It includes information for all live births and stillbirths of at least 400 grams birthweight or at least 20 weeks gestation. It includes data items relating to the mother, including demographic characteristics and factors relating to the pregnancy, labour and birth; and data items relating to the baby, including birth status (live or stillbirth), sex, gestational age at birth, birth weight, Apgar score and neonatal length of stay.

The Perinatal NMDS includes all relevant data elements of interest for the numerator of this indicator. While each jurisdiction has a unique perinatal form for collecting data on which the format of the Indigenous status question and recording categories varies slightly, all systems include the NMDS item on Indigenous status of mother.

No formal national assessment has been undertaken to determine completeness of the coverage of Indigenous mothers in the Perinatal NMDS or to determine variability between states and territories. However, the proportion of Indigenous mothers for the period 1997-2006 has been consistent, at 3.2–3.7% of women who gave birth. For maternal records (0.1%) where Indigenous status was not stated, data were excluded. Comparisons between states and territories should be interpreted with this caution.

Maternal age is calculated using the date of birth of the mother and the baby. Both of these items are included in the Perinatal NMDS. For 2007 data, New South Wales was non-compliant with the Perinatal NMDS and provided maternal age rather than maternal dates of birth. No methodology on calculation of maternal age by NSW has been provided. South Australia provided confidentialised dates, adjusted based on the baby's date of birth (recorded as the first of the month). South Australian legislation prevents the release of potentially identifiable data from its perinatal collection.

The indicator is presented by Socio-Economic Indexes for Areas (SEIFA) Index for Relative Socio-Economic Disadvantage (IRSD). The data supplied to the NPDC include a 5-digit code for SLA from all states and territories except Tasmania (which supplies postal area codes).

Reporting by remoteness is in accordance with the Australian Standard Geographical Classification (ASGC). Remoteness is assigned from SLA or postal area codes. The numerator and denominator for the calculation of rates for this indicator come from different sources (numerator from the NPDC and denominator from ABS population data). While population data are adjusted for undercount and missing responses to the Indigenous status question, data from the NPDC are not. This, along with changing levels of Indigenous identification over time and across jurisdictions in both the numerator and denominator may affect the accuracy of compiling a consistent time series.

**Accuracy:** Inaccurate responses may occur in all data provided to the Institute. The Institute does not have direct access to perinatal records to determine the accuracy of the data provided. However, the Institute undertakes validation on receipt of data. Data received from states and territories are checked for completeness, validity and logical errors. Potential errors are queried with jurisdictions, and corrections and resubmissions are made in response to these edit queries. The AIHW does not adjust data to account for possible data errors.

Errors may occur during the processing of data by the states and territories or at the AIHW. Processing errors prior to data supply may be found through the validation checks applied by the Institute. This indicator is calculated on data that has been reported to the AIHW. Prior to publication, these data are referred back to jurisdictions for checking and review. The Institute does not adjust the data to correct for missing values. Note that because of data editing and subsequent updates of state/territory databases, and because data are being reported by place of residence rather than place of birth the numbers reported for this indicator differ from those in reports published by the states and territories. The data are not rounded.

There is not full compliance with the Perinatal NMDS for maternal age. New South Wales did not provide full maternal dates of birth for 2007, instead supplying calculated maternal age. The geographical location code for the area of usual residence of the mother is included in the Perinatal NMDS. Less than 0.08% of records could not be assigned to a state or territory of residence. There is no scope in the data element *Area of usual residence of mother* to discriminate temporary residence of mother for the purposes of accessing birthing services from usual residence. The former may differentially impact populations from remote and very remote areas, where services are not available locally.

Data presented by Indigenous status are influenced by the quality and completeness of Indigenous identification of mothers which is likely to differ among jurisdictions. Approximately 0.1% of mothers who gave birth in the reference period had missing Indigenous status information. No adjustments have been made for under-identification or missing Indigenous status information.

Cells have been suppressed to protect confidentiality (where the presentation could identify a patient or a single service provider), where rates are likely to be highly volatile (that is, the denominator is small), or data quality is known to be of insufficient quality.

**Coherence:** Changing levels of Indigenous identification over time and across jurisdictions may affect the accuracy of compiling a consistent time series.

Differential supply of NMDS item Date of birth (used for calculating maternal age) may impact minimally on the cohesion of the data to report over time and across jurisdictions.

## Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

## Relational attributes

**Related metadata references:** Has been superseded by [National Healthcare Agreement: P161: Teenage birth rate, 2011 QS](#)  
[Health](#), Superseded 04/12/2012

**Indicators linked to this Data Quality statement:** [National Healthcare Agreement: P61-Teenage birth rate, 2010](#)  
[Health](#), Superseded 08/06/2011