Cancer treatment—systemic therapy agent or protocol, text X[X(149)]

Exported from METEOR (AIHW's Metadata Online Registry)
© Australian Institute of Health and Welfare 2024
This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.
You may distribute remix and build on this website's material but must attribute the AIHW as the convigant holder in line with our

meteor@aihw.gov.au.

attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Cancer treatment—systemic therapy agent or protocol, text X[X(149)]

Identifying and definitional attributes

Metadata item type: Data Element

Short name: Systemic therapy agent or protocol

METEOR identifier: 393623

Registration status: Health, Superseded 08/05/2014

Definition: The systemic therapy agent or protocol administered during the initial course of

treatment for cancer, as represented by text.

Data Element Concept: Cancer treatment—systemic therapy agent or protocol

Value Domain: $\underline{\text{Text X}[X(149)]}$

Value domain attributes

Representational attributes

Representation class: Text

Data type: String

Format: X[X(149)]

Maximum character length: 150

Data element attributes

Collection and usage attributes

Guide for use:

Systemic therapy agents are drugs that travel through the bloodstream and reach and effect cells all over the body. They are administered orally or intravenously.

Each systemic therapy agent or protocol used during the initial treatment of the cancer should be recorded. The initial course of treatment includes all treatments administered to the patient from diagnosis and before disease progression or recurrence.

The name of each systemic therapy agent or protocol given as initial treatment is recorded regardless of whether the course of treatment is completed as intended, and regardless of the intent or timing of the treatment.

Oral systemic therapy agents normally given on an outpatient basis should also be included.

Systemic therapy agents may be administered as single-agent treatments or as a combination of drugs administered according to a prespecified regimen or protocol. A protocol is a precise and detailed plan for therapy that includes the type, quantity, method and length of time of taking the drugs required for any treatment cycle.

A combination of drugs may be known by acronyms but since details of drugs and acronyms may vary it is recommended that the name of each agent be recorded.

When recording systemic therapy protocol names, eviQ should be used wherever possible. eviQ Cancer Treatments Online is a point of care clinical information resource that provides health professionals with current evidence based, peer maintained, best practice cancer treatment protocols and information. It was developed and is maintained by the Cancer Institute NSW.

If a single agent is being used or a protocol is not included in eviQ, then the full, generic name of any agent should be recorded preferably using the Australian Medicines Terminology (AMT), or if necessary, the Australian Medicines Handbook (AMH) or MIMS. If a generic name is not available because the drug is experimental or under patent protection, record the brand name.

The eviQ protocol identifier number should be recorded separately in the data element Cancer treatment—systemic therapy agent(s) or protocol, eviQ protocol identifier, NNNNNN.

Systemic therapy agents are encompassed in the treatment modalities **chemotherapy**, **immunotherapy** and **hormone therapy** administered for the treatment of cancer.

A patient may receive treatment with a protocol that includes different types of systemic therapy agents, for example, a chemotherapy agent and an immunotherapy agent.

Targeted therapies (treatments that use drugs or other substances to identify and attack specific cancer cells) using a chemotherapy agent are included. Other targeted therapies, such as monoclonal antibody therapy, are recorded in the data element *Cancer treatment—other cancer treatment, text [X(150)]*.

Do not code prednisone as hormone therapy when it is administered for reasons other than chemotherapeutic treatment. Only record prednisone as hormone therapy when administered in combination with chemotherapy such as MOPP (mechlorethamine, vincristine, procarbazine, prednisone) or COPP (cyclophosphamide, vincristine, procarbazine, prednisone).

Tumour involvement or cancer treatment may destroy hormone-producing tissue. Hormone replacement therapy will be given if the hormone is necessary to maintain normal metabolism and body function. Do not code hormone replacement therapy as part of the initial course of treatment.

Collection methods:

This information should be collected from the patient's medical record.

Comments:

Note the distinction between the administration of systemic agents or drugs and systemic therapy procedures that affect the hormonal or immunologic balance of

the patient.

The collection of specific treatment information is useful to evaluate patterns of care, the effectiveness of different treatment modalities, and treatment by patient outcome.

Source and reference attributes

Submitting organisation: Cancer Australia

Reference documents: American College of Surgeons 2002. Facility Oncology Registry Data Standards

(FORDS), 2009 revision. Commission on Cancer

Stedman TL 2006. Stedman's medical dictionary. 28th edition. Maryland:

Lippincott Williams & Wilkins

Standard Cancer Treatment and Management Pathways Program, Cancer Services and Education Division. eviQ Cancer Treatments Online. Cancer Institute

NSW

The National Clinical Terminology and Information Service (NCTIS) 2011. Australian Medicines Terminology (AMT). Sydney: National E-Health Transition Authority (NEHTA). AMT releases are provided every month and are available from the NCTIS Secure Website

Australian Medicines Handbook (AMH). Australian Medicines Handbook Pty Ltd

MIMS Medicines Information. St Leonards, New South Wales: UBM Medica Pty Ltd

Relational attributes

Related metadata references:

Supersedes <u>Cancer treatment—systemic therapy agent name (primary cancer)</u>, <u>antineoplastic drug code (Self-Instructional Manual for Tumour Registrars Book 8 3rd edn) X[X(39)]</u>

Health, Superseded 07/12/2011

Has been superseded by <u>Cancer treatment—systemic therapy agent or protocol</u>, text X[X(149)]

Health, Standard 08/05/2014

See also Cancer treatment—cancer treatment type, code N

Health, Superseded 07/12/2011

See also <u>Cancer treatment—chemotherapy completion date</u>, <u>DDMMYYYY</u>

Health, Superseded 08/05/2014

See also <u>Cancer treatment—chemotherapy cycles administered</u>, <u>number of cycles N[NN]</u>

Health, Superseded 08/05/2014

See also Cancer treatment—chemotherapy start date, DDMMYYYY

Health, Superseded 08/05/2014

See also Cancer treatment—hormone therapy completion date, DDMMYYYY

Health, Superseded 08/05/2014

See also Cancer treatment—hormone therapy start date, DDMMYYYY

Health, Superseded 08/05/2014

See also Cancer treatment—immunotherapy completion date, DDMMYYYY

Health, Superseded 08/05/2014

See also Cancer treatment—immunotherapy start date, DDMMYYYY

Health, Superseded 08/05/2014

See also Cancer treatment—systemic therapy agent or protocol, eviQ protocol

identifier NNNNNN

Health, Superseded 08/05/2014

Implementation in Data SetChemotherapy for cancer clusterSpecifications:Health, Superseded 08/05/2014

Hormone therapy for cancer cluster Health, Superseded 08/05/2014

Immunotherapy for cancer cluster
Health, Superseded 08/05/2014