Person with cancer—region of first recurrence as distant metastasis

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person with cancer—region of first recurrence as distant metastasis

Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	393852
Registration status:	Health, Standard 07/12/2011
Definition:	The region of first recurrence as a distant metastasis in a person with cancer, after a disease-free period.

Object Class attributes

Identifying and definitional attributes

Object class:	Person with cancer
Definition:	A person who has been diagnosed with a cancer.
Specialisation of:	Person/group of persons

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare

Property attributes

Identifying and definitional attributes

Property:	Region of first recurrence as distant metastasis
Definition:	The anatomical site of first recurrence as distant metastasis. The term recurrence defines the return, reappearance or metastasis of cancer (of the same histology) after a disease-free intermission or remission. Distant metastasis refers to the spread of cancer of the same histology as the original (primary) tumour to distant organs or distant lymph nodes.
Property group:	Assessment event

Source and reference attributes

Submitting organisation:	Cancer Australia
Reference documents:	American College of Surgeons 2002. Facility Oncology Registry Data Standards (FORDS), 2009 revision, Commission on Cancer

Data element concept attributes

Collection and usage attributes

Guide for use:

Source and reference attributes

Submitting organisation:	Cancer Australia

Relational attributes

Data Elements implementing this Data Element Concept:

Person with cancer—region of first recurrence as distant metastasis, topography code (ICD-O-3) ANN.N
Health, Standard 07/12/2011

Person with cancer—region of first recurrence as distant metastasis, topography code (ICD-O-3.1) ANN.N
Health, Qualified 03/08/2023

Person with cancer—region of first recurrence as distant metastasis, topography code (ICD-O-3.2) ANN.N
Health, Qualified 03/08/2023