National Healthcare Agreement: P05-Proportion of persons obese, 2010

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement: P05-Proportion of persons obese, 2010

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	Proportion of persons obese, 2010
METEOR identifier:	394043
Registration status:	Health, Superseded 08/06/2011
Description:	Prevalence of obesity in adults and children.
Indicator set:	National Healthcare Agreement (2010) Health, Superseded 08/06/2011
Outcome area:	Prevention Health, Standard 07/07/2010
Data quality statement:	National Healthcare Agreement: P05-Proportion of persons obese, 2010 QS Health, Superseded 12/03/2015

Collection and usage attributes

Population group age from:	Persons aged 5 years or older.
Computation description:	Rates are directly age-standardised to the Australian population as at 30 June 2001.
	Excludes pregnant women and people with an unknown Body Mass Index (BMI).
	Scope of collections limited to persons usually resident in private dwellings. Persons usually resident in non-private dwellings such as hotels, motels, hospitals, nursing homes and short-stay caravan parks were not included in the surveys.
	Estimates for non-Indigenous people estimates exclude those living in very remote areas of Australia.
	BMI is calculated as weight (in kilograms) divided by the square of height (in metres).
	For adults, obesity is defined as a BMI of greater than or equal to 30.
	For children, obesity is defined as BMI (appropriate for age and sex) that is likely to be 30 or more at age 18 years, based on centile curves.
	BMI derived from measured height and weight is preferable to that derived from self-reported height and weight.
Computation:	100 × (Numerator ÷ Denominator) Calculated separately for adults and children.
Numerator:	For adults: Number of persons aged 18 years or over with a BMI greater than or equal to 30
	For children: Number of children aged 5–17 years exceeding weight/height/age obesity norms
Numerator data elements:	Data Element / Data Set
	Data Element
	Adult—body mass index
	Data Source

ABS 2007-08 National Health Survey (NHS)

Guide for use

Data source type: Survey

- Data Element / Data Set

Data Element

Child—body mass index

Data Source

ABS 2007-08 National Health Survey (NHS)

Guide for use

Data source type: Survey

- Data Element / Data Set

Data Element

Adult-body mass index

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

-Data Element / Data Set

Data Element

Child—body mass index

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Data Element

Adult-body mass index

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Data Element

Child—body mass index

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey

	(NATSIHS)
	Guide for use
	Data source type: Survey
Descention	
Denominator:	For adults: Population aged 18 years or over For children: Population aged 5–17 years
Denominator data elements:	Data Element / Data Set
cicinento.	Data Element
	Person—age
	Data Source
	ABS 2007-08 National Health Survey (NHS)
	Guide for use
	Data source type: Survey
	Data Element / Data Set
	Data Element
	Person—age
	Data Source
	ABS 2004-05 National Health Survey (NHS)
	Guide for use
	Data source type: Survey
	Data Element / Data Set
	Data Element
	Person—age
	Data Source
	ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)
	Guide for use
	Data source type: Survey
Disaggregation data	Data Element / Data Set
elements:	Data Element
	Person—age
	Data Source
	ABS 2007-08 National Health Survey (NHS)
	Guide for use
	Data source type: Survey
	Data Element / Data Set
	Data Element
	Person—area of usual residence

Page 4 of 8

Data Source

ABS 2007-08 National Health Survey (NHS)

Guide for use

Data source type: Survey Used for disaggregation by state/territory, remoteness area and SEIFA of residence

-Data Element / Data Set-

Data Element

Person-sex

Data Source

ABS 2007-08 National Health Survey (NHS)

Guide for use

Data source type: Survey

-Data Element / Data Set

Data Element

Person-age

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

-Data Element / Data Set-

Data Element

Person-area of usual residence

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey Used for disaggregation by state/territory, remoteness area and SEIFA of residence

- Data Element / Data Set

Data Element

Person-sex

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Data Element

Person-age

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Data Element

Person-area of usual residence

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey Used for disaggregation by state/territory, remoteness area and SEIFA of residence

- Data Element / Data Set-

Data Element

Person-sex

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Comments:

Specified disaggregation: State/territory: age group, sex, Indigenous status, remoteness area and SEIFA of residence

Available disaggregation: State/territory: age group, sex, Indigenous status, remoteness area and SEIFA of residence

Some states/territories may have data for 2008-09 available in 2010.

Most recent data available for 2010 CRC baseline report: 2007–08 NHS for adults and children, with the exception of estimates for children residing in NT. 2004–05 for Indigenous/non-Indigenous adult comparison.

Representational attributes

Representation class:	Percentage
Data type:	Real
Unit of measure:	Person
Format:	N[N].N

Indicator conceptual framework

Framework and	Health behaviours
dimensions:	
	Bio-medical factors

Data source attributes

Data sources:

-Data) Source
ABS	2007-08 National Health Survey (NHS)
Frequ	iency
Ever	y 3 years
Data	custodian
Austr	ralian Bureau of Statistics
-Data	a Source
<u>ABS</u>	2004-05 National Health Survey (NHS)
Frequ	iency
Ever	y 3 years
Data	custodian
Austr	alian Bureau of Statistics
-Data	Source
	2004-05 National Aboriginal and Torres Strait Islander Health Survey
Frequ	iency
Ever	y 6 years

Data custodian

Australian Bureau of Statistics

Accountability attributes

Reporting requirements:	National Healthcare Agreement
Organisation responsible for providing data:	Australian Bureau of Statistics
Benchmark:	National Healthcare Agreement
	By 2017, increase by five percentage points the proportion of Australian adults and Australian children at a healthy body weight, over the 2009 baseline.
	NPA on Preventive Health
	15(a): Increase in proportion of children at unhealthy weight held at less than five per cent from baseline for each state by 2013; proportion of children at healthy weight returned to baseline levels by 2015.
	15(d): Increase in proportion of adults at unhealthy weight held at less than five per cent from baseline for each state by 2013; proportion of adults at healthy weight returned to baseline levels by 2015.

Further data development / collection required:	Specification: Long-term
	There is scope for improved capacity in jurisdictions depending on the implementation plan for the National Partnership Agreement (NPA) on Preventive Health.
	Increased frequency of surveys with measured data for calibration with self- reported data (i.e. less reliance on relatively infrequent self-reported data alone).
	Measured weight and height is needed for Indigenous people—proposed for 2010–11 NATSIHS.
	Data is required on the BMI of Indigenous children, including appropriate BMI cut- offs.
	Increased frequency of measured BMI data for Indigenous people is needed.
Other issues caveats:	Some disaggregations may result in numbers too small for publication.
	2007-2008 national data are based on measured values; data for Indigenous/non- Indigenous disaggregations are based on self-reported values.
	Data are not available for children in NT.
	Quality statements should note that data from non-private dwellings (e.g. hospitals, prisons, nursing homes) are excluded from household surveys.
Courses and references attributes	

Source and reference attributes

Reference documents:	Cole TJ, Bellizzi MC, Flegal KM, Dietz WH. 2000. Establishing a standard definition for child overweight and obesity worldwide: international survey. BMJ 2000; 320:1240–3; Cole TJ, Flegal KM, Nicholls D, Jackson AA. 2007. Body mass index cut offs to define thinness in children and adolescents: international survey. BMJ 2007;335;194.
	2000; 320:1240–3; Cole TJ, Flegal KM, Nicholls D, Jackson AA. 2007. Body mass index cut offs to define thinness in children and adolescents: international survey. BMJ

Relational attributes

Related metadata references:	Has been superseded by <u>National Healthcare Agreement: PI05-Proportion of</u> persons obese, 2011 <u>Health</u> , Superseded 30/10/2011
	See also National Healthcare Agreement: P06-Proportion of adults who are daily smokers, 2010 Health, Superseded 08/06/2011
	See also National Healthcare Agreement: P07-Proportion of adults at risk of long- term harm from alcohol, 2010 Health, Superseded 08/06/2011
	See also National Healthcare Agreement: P20-Potentially avoidable deaths, 2010 Health, Superseded 08/06/2011
	See also <u>National Indigenous Reform Agreement: P06-Levels of obesity - Body</u> <u>Mass Index, 2010</u> <u>Community Services (retired)</u> , Superseded 04/04/2011