National Healthcare Agreement: P07-Proportion of adults at risk of long-term harm from alcohol, 2010

Exported from METEOR (AIHW's Metadata Online Registry)
© Australian Institute of Health and Welfare 2024
This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have

made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement: P07-Proportion of adults at risk of long-term harm from alcohol, 2010

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: Proportion of adults at risk of long-term harm from alcohol, 2010

METEOR identifier: 394213

Registration status: Health, Superseded 08/06/2011

Description: Proportion of adults at risk of long-term harm from alcohol.

'At risk of long-term alcohol related harm' is defined according to the 2001 National Health and Medical Research Council (NHMRC) guidelines: for males, equivalent to 29 or more drinks per week, and for females, 15 or more drinks per week.

Indicator set: National Healthcare Agreement (2010)

Health, Superseded 08/06/2011

Outcome area: Prevention

Health, Standard 07/07/2010

Data quality statement: National Healthcare Agreement: P07-Proportion of adults at risk of long-term harm

from alcohol, 2010 QS

Health, Superseded 12/03/2015

Collection and usage attributes

Population group age

from:

Persons aged 18 years or over.

Computation description: Excludes people who have not consumed alcohol in the past 12 months.

Rates are directly age-standardised to the Australian population as at 30 June

2001.

Computation: 100 × (Numerator ÷ Denominator)

Numerator: Number of persons aged 18 years or over, assessed as having an alcohol

consumption pattern that puts them at risk of long-term alcohol-related harm

Numerator data elements: Data Element / Data Set-

Data Element

Person—alcohol consumption amount

Data Source

ABS 2007-08 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Data Element

Person—alcohol consumption frequency

Data Source

ABS 2007-08 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set-

Data Element

Person—alcohol consumption amount

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set-

Data Element

Person—alcohol consumption frequency

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set-

Data Element

Person—alcohol consumption amount

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Data Element

Person—alcohol consumption frequency

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Denominator: Population aged 18 years or over

Denominator data elements:

-Data Element / Data Set-

Data Element

Person-age

Data Source

ABS 2007-08 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set-

Data Element

Person—age

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set-

Data Element

Person—age

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Disaggregation data elements:

-Data Element / Data Set-

Data Element

Person—area of usual residence

Data Source

ABS 2007-08 National Health Survey (NHS)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory, remoteness area and SEIFA of

residence

Data Element / Data Set

Data Element

Person—area of usual residence

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory, remoteness area and SEIFA of

residence

Data Element / Data Set

Data Element

Person—area of usual residence

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory, remoteness area and SEIFA of

residence

Comments:

Specified disaggregation: Nationally and by state/territory: by Indigenous status, remoteness area and SEIFA of residence

Available disaggregation: Nationally and by state/territory: by Indigenous status, remoteness area and SEIFA of residence

Most recent data available for 2010 CRC baseline report: 2007-08 (NHS), 2004-2005 for Indigenous/non-Indigenous comparison

Representational attributes

Representation class: Percentage

Data type:RealUnit of measure:PersonFormat:N[N].N

Indicator conceptual framework

Framework and dimensions:

Health behaviours

Data source attributes

Data sources:

Data Source

ABS 2007-08 National Health Survey (NHS)

Frequency

Every 3 years

Data custodian

Australian Bureau of Statistics

Data Source

ABS 2004-05 National Health Survey (NHS)

Frequency

Every 3 years

Data custodian

Australian Bureau of Statistics

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Frequency

Every 6 years

Data custodian

Australian Bureau of Statistics

Accountability attributes

Reporting requirements: National Healthcare Agreement

Organisation responsible

for providing data:

Australian Bureau of Statistics

Further data development / Specification: Interim collection required:

Mechanisms for reporting annually in between surveys are being explored. There is scope for improved capacity in jurisdictions depending on the implementation plan for the National Partnership Agreement on Preventive Health.

The NHMRC guidelines for alcohol consumption have been revised (2009) and now reflect lifetime risk. The specification for this indicator may be updated to reflect the 2009 guidelines in future reporting.

Other issues caveats: Disaggregations within individual jurisdictions are subject to data quality

considerations. Some disaggregations may result in numbers too small for

publication.

Scope of collections limited to persons usually resident in private dwellings. Persons usually resident in non-private dwellings such as hotels, motels, hospitals, nursing homes and short-stay caravan parks were not included in the surveys. Estimates for non-Indigenous people estimates exclude those living in very remote areas of Australia.

Quality statements should note that data from non-private dwellings (e.g. hospitals, prisons, nursing homes) are excluded from household surveys.

Source and reference attributes

Steward: Australian Institute of Health and Welfare

Relational attributes

Related metadata references:

Has been superseded by <u>National Healthcare Agreement: PI 07-Proportion of adults at risk of long-term harm from alcohol, 2011</u>

Health, Superseded 30/10/2011

See also National Healthcare Agreement: P05-Proportion of persons obese, 2010 Health, Superseded 08/06/2011

See also National Healthcare Agreement: P06-Proportion of adults who are daily smokers, 2010

Health, Superseded 08/06/2011

See also National Healthcare Agreement: P20-Potentially avoidable deaths, 2010 Health, Superseded 08/06/2011

See also National Indigenous Reform Agreement: P05-Average daily alcohol consumption and associated risk levels; rates of alcohol consumption at long-term risky to high risk levels, 2010

Community Services (retired), Superseded 04/04/2011