

# National Indigenous Reform Agreement: P05- Average daily alcohol consumption and associated risk levels; rates of alcohol consumption at long-term risky to high risk levels, 2010

## Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	Average daily alcohol consumption and associated risk levels; rates of alcohol consumption at long-term risky to high risk levels, 2010
<b>METEOR identifier:</b>	396434
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Community Services (retired)</a>, Superseded 04/04/2011</li></ul>
<b>Description:</b>	Proportion of Australians who consume alcohol at risky/high risk levels, by Indigenous status.
<b>Rationale:</b>	Excessive alcohol consumption is a major risk factor that contributes to ill health. Of those who drink, Indigenous Australians are more likely to consume alcohol at risky/high risk levels. Reducing the rate at which Indigenous Australians to drink at hazardous levels will assist in closing the gap in life expectancy.
<b>Indicator set:</b>	<a href="#">National Indigenous Reform Agreement (2010) Community Services (retired)</a> , Superseded 04/04/2011
<b>Outcome area:</b>	<a href="#">Indigenous people remain healthy and free of preventable disease Indigenous</a> , Standard 21/07/2010
<b>Quality statement:</b>	<a href="#">National Indigenous Reform Agreement: P05-Average daily alcohol consumption and associated risk levels; rates of alcohol consumption at long term risky to high risk levels, 2010 QS</a> Community Services (retired), Superseded 04/04/2011

## Collection and usage attributes

<b>Population group age from:</b>	18 years
<b>Computation description:</b>	Presentation: Number and percentage (crude and age standardised), rate ratios and rate difference, including confidence intervals and relative standard errors for percentages.
<b>Computation:</b>	$100 \times (\text{Numerator} \div \text{Denominator})$
<b>Numerator:</b>	People aged 18 years or over assessed as having risky or high-risk alcohol consumption.
<b>Numerator data elements:</b>	

### Data Element / Data Set

[Person—alcohol consumption frequency \(self-reported\), code NN](#)

#### Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

#### Guide for use

Data source type: Survey

### Data Element / Data Set

[Person—alcohol consumption frequency \(self-reported\), code NN](#)

**Data Source**

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

[Person—alcohol consumption amount \(self-reported\), total standard drinks NN](#)

**Data Source**

[ABS 2004-05 National Health Survey \(NHS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

[Person—alcohol consumption amount \(self-reported\), total standard drinks NN](#)

**Data Source**

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

[Person—age, total years N\[NN\]](#)

**Data Source**

[ABS 2004-05 National Health Survey \(NHS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

[Person—age, total years N\[NN\]](#)

**Data Source**

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

**Guide for use**

Data source type: Survey

**Denominator:**

Total population of people aged 18 years or over

**Denominator data elements:**

**Data Element / Data Set**

[Person—age, total years N\[NN\]](#)

**Data Source**

[ABS 2004-05 National Health Survey \(NHS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

[Person—age, total years N\[NN\]](#)

**Data Source**

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

**Guide for use**

Data source type: Survey

**Disaggregation data elements:**

**Data Element / Data Set**

[Person—Indigenous status, code N](#)

**Data Source**

[ABS 2004-05 National Health Survey \(NHS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

[Person—Indigenous status, code N](#)

**Data Source**

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

[Person—area of usual residence, geographical location code \(ASGC 2006\) NNNNN](#)

**Data Source**

[ABS 2004-05 National Health Survey \(NHS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

[Person—area of usual residence, geographical location code \(ASGC 2006\) NNNNN](#)

**Data Source**

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

**Guide for use**

Data source type: Survey

**Comments:**

Disaggregation: National and state/territory by Indigenous status.  
Most recent data available for 2010 CRC baseline report: 2004-05 NATSIHS/NHS

**Representational attributes**

**Representation class:** Percentage  
**Data type:** Real  
**Unit of measure:** Person  
**Format:** N[N].N

**Indicator conceptual framework**

Framework and dimensions:

[Health Behaviours](#)

## Data source attributes

Data sources:

**Data Source**

[ABS 2004-05 National Health Survey \(NHS\)](#)

**Frequency**

Every 3 years

**Data custodian**

Australian Bureau of Statistics

**Data Source**

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

**Frequency**

Every 6 years

**Data custodian**

Australian Bureau of Statistics

## Accountability attributes

**Organisation responsible for providing data:**

In the provision of data and quality statement the Australian Bureau of Statistics (ABS) will have regard the data quality assessments in the Aboriginal and Torres Strait Islander Health Performance Framework (HPF) that are relevant to this indicator.

**Further data development / collection required:**

Specification: Long-term

The National Health and Medical Research Council (NHMRC) have developed new guidelines on 'risky' and 'high risk' alcohol consumption.

Mechanisms for reporting annually in between surveys could be explored.

Reliable data on Indigenous adolescents would be useful.

**Other issues caveats:**

Risky and high/risk alcohol consumption based on estimated average daily consumption.

This performance indicator has COAG two outcomes areas: 'Indigenous people remain healthy and free from preventable disease' and 'Alcohol and drug abuse among Indigenous people is overcome'.

## Source and reference attributes

## Relational attributes

**Related metadata references:**

See also [National Healthcare Agreement: P07-Proportion of adults at risk of long-term harm from alcohol, 2010](#)

- [Health](#), Superseded 08/06/2011

See also [National Healthcare Agreement: PI 07-Proportion of adults at risk of long-term harm from alcohol, 2011](#)

- [Health](#), Superseded 30/10/2011

Has been superseded by [National Indigenous Reform Agreement: PI 05-Average daily alcohol consumption and associated risk levels; rates of alcohol consumption at long-term risky to high risk levels, 2011](#)

- [Indigenous](#), Superseded 01/07/2012