

National Indigenous Reform Agreement: P09b-Child under 5 mortality rate (and excess deaths) (ABS Data), 2010

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Indigenous Reform Agreement: P09b-Child under 5 mortality rate (and excess deaths) (ABS Data), 2010

Identifying and definitional attributes

| | |
|--------------------------------|---|
| Metadata item type: | Indicator |
| Indicator type: | Indicator |
| Short name: | Child under 5 mortality rate (and excess deaths) (ABS Data), 2010 |
| METEOR identifier: | 396458 |
| Registration status: | Community Services (retired) , Superseded 04/04/2011 |
| Description: | <p>There are two measures for this indicator:</p> <p>Measure (1a): Mortality rates for children aged less than five years, by Indigenous status</p> <p>Measure (1b): Excess deaths for Indigenous children aged less than five years.</p> <p>The Australian Bureau of Statistics (ABS) data for this indicator is for perinatal mortality, infant mortality, child 1-4 years mortality and child 0-4 years mortality.</p> |
| Rationale: | High level of public interest. Key measure for the 'Closing the Gap' indicator of halving the gap in mortality rates for children under 5. |
| Indicator set: | National Indigenous Reform Agreement (2010) Community Services (retired) , Superseded 04/04/2011 |
| Outcome area: | Indigenous children have the same health outcomes as other Australian children Indigenous , Standard 21/07/2010 |
| Data quality statement: | National Indigenous Reform Agreement: P09b-Child under 5 mortality rate (and excess deaths) (ABS Data), 2010 QS Community Services (retired) , Superseded 04/04/2011 |

Collection and usage attributes

| | |
|---------------------------------|--|
| Population group age to: | Under 5 years of age |
| Computation description: | <p>Part A: Number, rate, rate ratio and rate difference</p> <p>Part B: Excess deaths: Observed number of Indigenous deaths among perinatals, infants, children aged 1–4 years and children aged 0–4 years less expected number of deaths among Indigenous children of the corresponding age group if the age specific rate of the non-Indigenous population was applied to the Indigenous population.</p> |
| Computation: | <p>Part A:</p> <p>Perinatal and infant mortality rates: $1000 \times (\text{Numerator} \div \text{Denominator})$</p> <p>Children 1-4 and 0-4 mortality rates: $100,000 \times (\text{Numerator} \div \text{Denominator})$</p> <p>Part B: Excess deaths: Observed number of Indigenous deaths among children aged 0-4 years less expected number of deaths among Indigenous children aged 0-4 years if the age specific rate of the non-Indigenous population was applied to the Indigenous population.</p> |
| Numerator: | <p>Perinatal: Number of perinatal deaths (foetal and neo-natal)</p> <p>Infant: Number of deaths among children aged 0-1 years</p> <p>Children 1-4: Number of deaths among children aged 1-4 years</p> <p>Children 0-4: Number of deaths among children 0 to 4 years</p> |

Numerator data elements:**Data Element / Data Set****Data Element**

Number of foetal and neonatal deaths

Data Source

[ABS Perinatal Deaths Collection](#)

Guide for use

Data source type: Administrative by-product data
Perinatal numerator data source

Data Element / Data Set

[Birth—birth status, code N](#)

Data Source

[ABS Perinatal Deaths Collection](#)

Guide for use

Data source type: Administrative by-product data
Perinatal numerator data source

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS Death Registrations Collection](#)

Guide for use

Data source type: Administrative by-product data
Infant and child numerator data source

Denominator:

Perinatal: Number of all live births and stillbirths

Infant: Number of live births

Children 1-4: Population aged 1-4 years

Children 0-4: Population aged 0-4 years

Denominator data elements:**Data Element / Data Set**

[Birth—birth status, code N](#)

Data Source

[ABS birth registration data](#)

Guide for use

Data Source type: Administrative by-product data
Perinatal and infant denominator data source

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS Estimated resident population \(total population\)](#)

Guide for use

Data Source type: Estimated resident population (ERP) is derived from Census, Post-enumeration survey (PES) and assumptions on future fertility, mortality, net migration etc.
Child 1-4 and 0-4 years denominator data source

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS Indigenous experimental estimates and projections \(2001 Census-based\)](#)

Guide for use

Data Source type: ERP is derived from Census, PES and assumptions on future fertility, mortality, net migration etc.
Child 1-4 and 0-4 years denominator data source

Data Element / Data Set

[Person—estimated resident population of Australia, total people N\[N\(7\)\]](#)

Data Source

[ABS Estimated resident population \(total population\)](#)

Guide for use

Data Source type: ERP is derived from Census, PES and assumptions on future fertility, mortality, net migration etc.
Child 1-4 and 0-4 years denominator data source

Data Element / Data Set

[Person—estimated resident population of Australia, total people N\[N\(7\)\]](#)

Data Source

[ABS Indigenous experimental estimates and projections \(2001 Census-based\)](#)

Guide for use

Data Source type: ERP is derived from Census, PES and assumptions on future fertility, mortality, net migration etc.
Child 1-4 and 0-4 years denominator data source

Disaggregation data elements:

Data Element / Data Set

[Person—Indigenous status, code N](#)

Data Source

[ABS Death Registrations Collection](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Person—Indigenous status, code N](#)

Data Source

[ABS Perinatal Deaths Collection](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Person—area of usual residence, geographical location code \(ASGC 2007\) NNNNN](#)

Data Source

[ABS Perinatal Deaths Collection](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Data Source

[ABS Death Registrations Collection](#)

Guide for use

Data source type: Administrative by-product data

Comments:

Disaggregation: National and selected state/territories by Indigenous status

Most recent data available for 2010 CRC baseline report: 2007

At this stage, only data from selected state/territories are considered of acceptable quality for reporting mortality of Indigenous persons (NSW, Qld, WA, SA and NT).

Due to small number of Indigenous deaths reported each year, 5 year combined data will be reported.

Representational attributes

| | |
|-----------------------|--------|
| Representation class: | Rate |
| Data type: | Real |
| Unit of measure: | Person |
| Format: | N[N].N |

Indicator conceptual framework

Framework and [Deaths](#)
dimensions:

Data source attributes

Data sources:

Data Source

[ABS birth registration data](#)

Frequency

Annual

Data custodian

Australian Bureau of Statistics

Data Source

[ABS Death Registrations Collection](#)

Frequency

Annual

Data custodian

Australian Bureau of Statistics

Data Source

[ABS Estimated resident population \(total population\)](#)

Frequency

Quarterly

Data quality statement

[ABS Estimated resident population \(total population\), QS](#)

Data custodian

Australian Bureau of Statistics

Data Source

[ABS Perinatal Deaths Collection](#)

Frequency

Annual

Data custodian

Australian Bureau of Statistics

Data Source

[ABS Indigenous experimental estimates and projections \(2001 Census-based\)](#)

Frequency

Periodic

Data quality statement

[ABS Indigenous experimental estimates and projections, QS](#)

Data custodian

Australian Bureau of Statistics

Accountability attributes

Organisation responsible for providing data: Australian Bureau of Statistics

Further data development / collection required: Specification: Long-term

The statistical agencies and state/territory governments are currently working with Registrars and funeral directors and doctors to improve the quality of Indigenous status information on death notification forms and death certificates.

Indigenous identification needs improvement in deaths data.

Other issues caveats: Indigenous child mortality data is subject to high variability due to small numbers of deaths among children 0 to 4 years.

Relational attributes

Related metadata references:

Has been superseded by [National Indigenous Reform Agreement: P109b-Child under 5 mortality rate \(and excess deaths\) \(ABS Data\), 2011](#)
[Indigenous](#), Superseded 01/07/2012

See also [National Healthcare Agreement: P19-Infant/young child mortality rate, 2010](#)
[Health](#), Superseded 08/06/2011

See also [National Indigenous Reform Agreement: P09a-Child under 5 mortality rate \(and excess deaths\) \(AIHW Data\), 2010](#)
[Community Services \(retired\)](#), Superseded 04/04/2011