
National Indigenous Reform Agreement: P10-Mortality rates (and excess deaths) for children under



Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Indigenous Reform Agreement: P10-Mortality rates (and excess deaths) for children under 5 by leading causes, 2010

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: Mortality rates (and excess deaths) for children under 5 by leading causes, 2010

METEOR identifier: 396468

Registration status: Community Services (retired), Superseded 04/04/2011

Description: There are two measures for this indicator:

Measure (1a): Mortality rates for children aged less than five years, by leading

causes of death (ICD-10 chapter level), by Indigenous status

Measure (1b): Excess deaths for Indigenous children aged less than five years, by

leading causes of death (ICD-10 chapter level).

Rationale: High level of public interest. Key measure for the 'Closing the Gap' indicator of

halving the gap in mortality rates for children under 5.

Indicator set: National Indigenous Reform Agreement (2010)

Community Services (retired), Superseded 04/04/2011

Outcome area: Indigenous children have the same health outcomes as other Australian children

Indigenous, Standard 21/07/2010

Data quality statement: National Indigenous Reform Agreement: P10-Mortality rates (and excess deaths)

for children under 5 by leading causes, 2010 QS

Community Services (retired), Superseded 04/04/2011

Collection and usage attributes

Population group age to: Childern under 5 years

Computation description: 'Perinatal mortality' is defined as death of an infant within 28 days of birth (neonatal

death) or of a fetus (unborn child) that weighs at least 400 grams or, if birth weight

is unavailable, at gestational age of 20 weeks or more.

Part A: Number, rates, rate ratio and rate difference

Part B: Excess deaths for Indigenous children aged less than 5 years is defined as the observed number of Indigenous deaths among perinatals; infants; children aged 1–4 years and children aged 0–4 years less expected number of deaths among Indigenous children of the corresponding age group if the age specific rate of the

non-Indigenous population was applied to the Indigenous population.

Computation: Part A:

Perinatal and infant mortality rates: 1000 x (Numerator ÷ Denominator)

Children 1-4 and 0-4 years mortality rates: 100,000 x (Numerator ÷ Denominator)

Part B: Excess deaths: Observed number of Indigenous deaths less expected number of deaths if the age specific rate of the non-Indigenous population was

applied to the Indigenous population for the given age groups above.

Numerator:

Perinatal: Number of perinatal deaths (foetal and neo-natal)

Infant: Number of deaths among children aged 0-1 years

Children 1-4: Number of deaths among children aged 1-4 years

Children 0-4: Number of deaths among children 0 to 4 years

Numerator data elements:

Data Element / Data Set-

Data Element

Number of foetal and neo-natal deaths

Data Source

ABS Perinatal Deaths Collection

Guide for use

Data source type: Administrative by-product data

Perinatal numerator data source

Data Element / Data Set-

Birth-birth status, code N

Data Source

ABS Perinatal Deaths Collection

Guide for use

Data source type: Administrative by-product data

Perinatal numerator data source

Data Element / Data Set-

Person—date of birth, DDMMYYYY

Data Source

ABS Causes of Death Collection

Guide for use

Data source type: Administrative by-product data

Infant and child numerator data source

Data Element / Data Set-

Person—date of death, DDMMYYYY

Data Source

ABS Causes of Death Collection

Guide for use

Data source type: Administrative by-product data

Infant and child numerator data source

Data Element / Data Set-

Person—age, total years N[NN]

Data Source

ABS Causes of Death Collection

Guide for use

Data source type: Administrative by-product data

Infant and child numerator data source

Denominator:

Perinatal: Number of all live births and stillbirths

Infant: Number of live births

Children 1-4: Population aged 1-4 years

Children 0-4: Population aged 0-4 years

Denominator data elements:

Data Element / Data Set-

Birth—birth status, code N

Data Source

ABS birth registration data

Guide for use

Data source type: Administrative by-product data

Perinatal denominator data source

Data Element / Data Set-

Person—age, total years N[NN]

Data Source

ABS Indigenous experimental estimates and projections (2001 Censusbased)

Guide for use

Data source type: ERP is derived from Census, PES and assumptions on future fertility, mortality, net migration, etc.

Child 1-4 and 0-4 years denominator data source

Data Element / Data Set-

Person—age, total years N[NN].N

Data Source

ABS Estimated resident population (total population)

Guide for use

Data source type: ERP is derived from Census, PES and assumptions on future fertility, mortality, net migration, etc.

Child 1-4 and 0-4 years denominator data source

Data Element / Data Set-

Person—estimated resident population of Australia, total people N[N(7)]

Data Source

ABS Estimated resident population (total population)

Guide for use

Data source type: Estimated resident population (ERP) is derived from Census, Post-enumeration survey (PES) and assumptions on future fertility, mortality, net migration, etc.

Child 1-4 and 0-4 years denominator data source

Data Element / Data Set

Person—estimated resident population of Australia, total people N[N(7)]

Data Source

ABS Indigenous experimental estimates and projections (2001 Censusbased)

Guide for use

Data source type: ERP is derived from Census, PES and assumptions on future fertility, mortality, net migration, etc.

Child 1-4 and 0-4 years denominator data source

Disaggregation data elements:

Data Element / Data Set

Person-Indigenous status, code N

Data Source

ABS Causes of Death Collection

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person-Indigenous status, code N

Data Source

ABS Perinatal Deaths Collection

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person—underlying cause of death, code (ICD-10 2nd edn) ANN-ANN

Data Source

ABS Causes of Death Collection

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person—underlying cause of death, code (ICD-10 2nd edn) ANN-ANN

Data Source

ABS Perinatal Deaths Collection

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person—area of usual residence, geographical location code (ASGC 2007) NNNNN

Data Source

ABS Causes of Death Collection

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—area of usual residence, geographical location code (ASGC 2007) NNNNN

Data Source

ABS Perinatal Deaths Collection

Guide for use

Data source type: Administrative by-product data

Comments:

Required disaggregation: By leading causes of death; National and state/territory by Indigenous status, by leading cause of death (ICD-10 chapter level)

Recommended disaggregation: National, by Indigenous status, by leading cause of death (ICD-10 chapter level)

Most recent data available for 2010 CRC baseline report: 2007

At this stage, only selected states and territories (NSW, Qld, WA, SA & NT) are considered of accepted quality for reporting Indigenous deaths for all ages.

Indigenous child and particularly infant mortality data is subject to high variability due to small numbers of deaths among children 0 to 4 years.

Due to small number of Indigenous deaths reported each year 5 year, combined data are recommended for reporting.

Perinatal data from the National Perinatal Data Collection (NPDC) is unable to be reported by cause of death. Therefore, the Australian Bureau of Statistics (ABS) death registrations data is recommended for reporting perinatal mortality rates by cause of death.

Representational attributes

Representation class: Rate

Data type: Real

Unit of measure: Person

Format: N[NN].N

Indicator conceptual framework

Framework and dimensions:

Deaths

Data source attributes

Data sources:

Data Source

ABS birth registration data

Frequency

Annual

Data custodian

Australian Bureau of Statistics

Data Source

ABS Causes of Death Collection

Frequency

Annual

Data quality statement

ABS causes of death collection, QS

Data custodian

Australian Bureau of Statistics

Data Source

ABS Indigenous experimental estimates and projections (2001 Censusbased)

Frequency

Periodic

Data quality statement

ABS Indigenous experimental estimates and projections, QS

Data custodian

Australian Bureau of Statistics

Data Source

ABS Perinatal Deaths Collection

Frequency

Annual

Data custodian

Australian Bureau of Statistics

Data Source

ABS Estimated resident population (total population)

Frequency

Quarterly

Data quality statement

ABS Estimated resident population (total population), QS

Data custodian

Australian Bureau of Statistics

Accountability attributes

Organisation responsible for providing data:

Australian Bureau of Statistics

Further data development / Specification: Long-term collection required:

The statistical agencies and state/territory governments are currently working with Registrars, funeral directors and doctors to improve the quality of Indigenous status

information on death notification forms and death certificates.

Indigenous identification needs improvement in deaths data.

Relational attributes

Related metadata references:

Has been superseded by National Indigenous Reform Agreement: PI 10-Mortality

rates (and excess deaths) by leading causes for children under 5, 2011

Indigenous, Superseded 01/07/2012

See also National Healthcare Agreement: P19-Infant/young child mortality rate,

2010

Health, Superseded 08/06/2011