# National Indigenous Reform Agreement: P13-Tobacco smoking during pregnancy, 2010

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

## National Indigenous Reform Agreement: P13-Tobacco smoking during pregnancy, 2010

#### Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	Tobacco smoking during pregnancy, 2010
METEOR identifier:	396570
Registration status:	Community Services (retired), Superseded 04/04/2011
Description:	Proportion of mothers who smoked during pregnancy, by Indigenous status.
Rationale:	Smoking during pregnancy can effect the growth and development of the foetus and infant and can carry though to childhood.
Indicator set:	National Indigenous Reform Agreement (2010) Community Services (retired), Superseded 04/04/2011
Outcome area:	Indigenous children are born and remain healthy Indigenous, Standard 21/07/2010
Data quality statement:	National Indigenous Reform Agreement: P13-Tobacco smoking during pregnancy , 2010 QS Community Services (retired), Superseded 04/04/2011

#### Collection and usage attributes

Computation description:	Presentation: Number, percentage (crude and age-standardised) rate ratio and rate difference.
Computation:	100 x (Numerator ÷ Denominator)
Numerator:	Number of mothers who smoked during pregnancy
Numerator data elements:	Data Element / Data Set
	Data Element
	Number of mothers who smoked during pregnancy
	Data Source
	AIHW National Perinatal Data Collection (NPDC)
	NMDS / DSS
	Perinatal NMDS 2007-2008
	Guide for use
	Administrative by-product data
Denominator:	Total number of mothers

Denominator data	Data Element / Data Set
elements:	Person—person identifier, XXXXXX[X(14)]
	Data Source
	AIHW National Perinatal Data Collection (NPDC)
	NMDS / DSS
	Perinatal NMDS 2007-2008
	Guide for use
	Data source type: Administrative by-product data
Disaggregation data elements:	Data Element / Data Set
	Person—Indigenous status, code N
	Data Source
	AIHW National Perinatal Data Collection (NPDC)
	NMDS / DSS
	Perinatal NMDS 2007-2008
	Guide for use
	Data source type: Administrative by-product data
	Data Element / Data Set
	Data Element / Data Set
	Person—area of usual residence, geographical location code (ASGC 2007) NNNNN
	Person—area of usual residence, geographical location code (ASGC 2007)
	Person—area of usual residence, geographical location code (ASGC 2007) NNNNN
	Person—area of usual residence, geographical location code (ASGC 2007) NNNNN Data Source
	Person—area of usual residence, geographical location code (ASGC 2007)         NNNNN         Data Source         AlHW National Perinatal Data Collection (NPDC)
	Person—area of usual residence, geographical location code (ASGC 2007)         NNNNN         Data Source         AlHW National Perinatal Data Collection (NPDC)         NMDS / DSS
	Person—area of usual residence, geographical location code (ASGC 2007)         NNNNN         Data Source         AlHW National Perinatal Data Collection (NPDC)         NMDS / DSS         Perinatal NMDS 2007-2008
Comments:	Person—area of usual residence, geographical location code (ASGC 2007)         NNNNN         Data Source         AlHW National Perinatal Data Collection (NPDC)         NMDS / DSS         Perinatal NMDS 2007-2008         Guide for use
Comments:	Person—area of usual residence, geographical location code (ASGC 2007)         NNNNN         Data Source         AlHW National Perinatal Data Collection (NPDC)         NMDS / DSS         Perinatal NMDS 2007-2008         Guide for use         Data source type: Administrative by-product data
Comments:	Person—area of usual residence, geographical location code (ASGC 2007)         NNNNN         Data Source         AlHW National Perinatal Data Collection (NPDC)         NMDS / DSS         Perinatal NMDS 2007-2008         Guide for use         Data source type: Administrative by-product data         Disaggregation: National and state/territory by Indigenous status.
Comments: Representational attr	Person—area of usual residence, geographical location code (ASGC 2007)         NNNNN         Data Source         AlHW National Perinatal Data Collection (NPDC)         NMDS / DSS         Perinatal NMDS 2007-2008         Guide for use         Data source type: Administrative by-product data         Disaggregation: National and state/territory by Indigenous status.         Most recent data available for 2010 CRC baseline report: 2007         Currently data are available for NSW, Queensland, WA, SA, Tasmania, NT and ACT and are inconsistencies in the gathering of information about smoking during pregnancy across jurisdictions.
	Person—area of usual residence, geographical location code (ASGC 2007)         NNNNN         Data Source         AlHW National Perinatal Data Collection (NPDC)         NMDS / DSS         Perinatal NMDS 2007-2008         Guide for use         Data source type: Administrative by-product data         Disaggregation: National and state/territory by Indigenous status.         Most recent data available for 2010 CRC baseline report: 2007         Currently data are available for NSW, Queensland, WA, SA, Tasmania, NT and ACT and are inconsistencies in the gathering of information about smoking during pregnancy across jurisdictions.
Representational attr	Person—area of usual residence, geographical location code (ASGC 2007)         NNNNN         Data Source         AlHW National Perinatal Data Collection (NPDC)         NMDS / DSS         Perinatal NMDS 2007-2008         Guide for use         Data source type: Administrative by-product data         Disaggregation: National and state/territory by Indigenous status.         Most recent data available for 2010 CRC baseline report: 2007         Currently data are available for NSW, Queensland, WA, SA, Tasmania, NT and ACT and are inconsistencies in the gathering of information about smoking during pregnancy across jurisdictions.

Format: NN.N
Indicator conceptual framework

#### Data source attributes

Data sources:	Data Source
	AIHW National Perinatal Data Collection (NPDC)
	Frequency
	Calendar years ending 31 December each year
	Data custodian
	Australian Institute of Health and Welfare

#### Accountability attributes

Further data development / collection required:Specification: Long-termAgreed smoking items have been included in the Perinatal National Minimum Data Set in 2010.	Organisation responsible for providing data:	Australian Institute of Health and Welfare
	•	Agreed smoking items have been included in the Perinatal National Minimum Data
<b>Other issues caveats:</b> Once 2010 data is available for reporting (expected in the 2013 reporting cycle), nationally consistent data on smoking during pregnancy will be available.	Other issues caveats:	
The level of under-identification in perinatal data has not been formally assessed.		The level of under-identification in perinatal data has not been formally assessed.

### **Relational attributes**

Related metadata	Has been superseded by National Indigenous Reform Agreement: PI 13-Tobacco
references:	smoking during pregnancy, 2011
	Health, Superseded 31/10/2011
	Indigenous, Superseded 01/07/2012