

# Episode of residential care—episode start mode

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Episode of residential care—episode start mode

## Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	417615
Registration status:	<a href="#">Health</a> , Superseded 07/03/2014
Definition:	The reason for <a href="#">starting an episode of residential care</a> .
Context:	Specialised mental health services (Residential mental health care).

## Object Class attributes

### Identifying and definitional attributes

Object class:	<a href="#">Episode of residential care</a>
METEOR identifier:	376433
Registration status:	<a href="#">Health</a> , Superseded 07/03/2014
Definition:	The period of care between the start of residential care (either through the formal start of the residential stay or the start of a new reference period) and the end of the residential care (either through the formal end of residential care or the end of the reference period, i.e. 30 June).
Specialisation of:	<a href="#">Service episode</a>

### Collection and usage attributes

Comments:	For <a href="#">residents</a> provided with care intended to be on an overnight basis. This may occasionally include episodes of residential care that unexpectedly ended on the same day as they started (for example, the resident died or left against advice) or began at the end of the reference period (i.e. starting care on 30 June).
-----------	--

## Property attributes

### Identifying and definitional attributes

Property:	<a href="#">Episode start mode</a>
METEOR identifier:	269106
Registration status:	<a href="#">Health</a> , Standard 01/03/2005
Definition:	The method by which an episode begins.
Property group:	<a href="#">Entry into service event</a>

### Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
--------------------------	--

## Data element concept attributes

### Relational attributes

Related metadata references:	Supersedes <a href="#">Episode of residential care—episode start mode</a> <a href="#">Health</a> , Superseded 07/12/2011
	Has been superseded by <a href="#">Episode of residential care—episode start mode</a> <a href="#">Health</a> , Superseded 16/01/2020

**Data Elements  
implementing this Data  
Element Concept:**

[Episode of residential care—episode start mode, code N  
Health](#), Superseded 07/03/2014