

# Cancer treatment—post-initial surgery residual tumour size category, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Cancer treatment—post-initial surgery residual tumour size category, code N

## Identifying and definitional attributes

|                              |   |
|------------------------------|---|
| <b>Metadata item type:</b>   | Data Element  |
| <b>Short name:</b>           | Tumour residual post-surgery size category  |
| <b>METEOR identifier:</b>    | 424302  |
| <b>Registration status:</b>  | <a href="#">Health</a> , Standard 08/05/2014  |
| <b>Definition:</b>           | The size of the residual tumour remaining after the initial surgery for cancer treatment, as represented by a code. |
| <b>Data Element Concept:</b> | <a href="#">Cancer treatment—post-initial surgery residual tumour size</a>  |
| <b>Value Domain:</b>         | <a href="#">Residual tumour size category code N</a>  |

## Value domain attributes

## Representational attributes

|                                  |        |
|----------------------------------|--------|
| <b>Representation class:</b>     | Code   |
| <b>Data type:</b>                | Number |
| <b>Format:</b>                   | N      |
| <b>Maximum character length:</b> | 1      |

|                              | Value | Meaning   |
|------------------------------|-------|---|
| <b>Permissible values:</b>   | 1     | Microscopic but no macroscopic residual disease   |
|                              | 2     | Residual tumour less than 0.5 cm                  |
|                              | 3     | Residual tumour between 0.5 cm and less than 1 cm |
|                              | 4     | Residual tumour between 1 cm and 2 cm             |
|                              | 5     | Residual tumour greater than 2 cm                 |
| <b>Supplementary values:</b> | 7     | Not applicable                                    |
|                              | 8     | Unknown/unable to be assessed                     |
|                              | 9     | Not stated/inadequately described                 |

## Collection and usage attributes

|                       |  |
|-----------------------|--|
| <b>Guide for use:</b> | This code outlines categories for the largest diameter of tumour residual implants after cancer treatment. |
|-----------------------|--|

## Source and reference attributes

|                                 |   |
|---------------------------------|---|
| <b>Submitting organisation:</b> | Cancer Australia  |
| <b>Reference documents:</b>     | Pecorelli, S. 25 <sup>th</sup> Annual Report on the Results of Treatment in Gynecological Cancer. International Journal of Gynecology & Obstetrics 2003, 83(Supp 1): 1-230. |

## Data element attributes

## Collection and usage attributes

|                            |   |
|----------------------------|---|
| <b>Guide for use:</b>      | Record the size of the largest tumour residual remaining after the initial surgery for cancer treatment. The tumour residual size is the diameter of largest residual implants remaining after surgery. |
| <b>Collection methods:</b> | Collect from patient medical records.   |
| <b>Comments:</b>           | The residual tumour size after the initial surgery is a prognostic indicator that will impact later treatment pathways.   |

## Source and reference attributes

|                                 |   |
|---------------------------------|---|
| <b>Submitting organisation:</b> | Cancer Australia  |
| <b>Reference documents:</b>     | Pecorelli, S. 25th Annual Report on the Results of Treatment in Gynecological Cancer. International Journal of Gynecology & Obstetrics 2003, 83(Supp 1): 1-230. |

## Relational attributes

|   |  |
|---|--|
| <b>Implementation in Data Set Specifications:</b> | <p><a href="#">Gynaecological cancer (clinical) DSS</a><br/>Health, Superseded 14/05/2015</p> <p><b>Conditional obligation:</b> This data element is to be recorded then the data element <a href="#">Cancer treatment—residual (R) tumour indicator, yes/no code N</a> indicates the presence of residual tumour after surgery.</p> <p><a href="#">Gynaecological cancer (clinical) NBPDS</a><br/>Health, Standard 14/05/2015</p> <p><b>Conditional obligation:</b></p> <p>This data element is to be recorded then the data element <a href="#">Cancer treatment—residual (R) tumour indicator, yes/no code N</a> indicates the presence of residual tumour after surgery.</p> |
|---|--|