

# Cancer treatment—post-initial surgery residual tumour size

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Cancer treatment—post-initial surgery residual tumour size

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element Concept
<b>METEOR identifier:</b>	425579
<b>Registration status:</b>	<a href="#">Health</a> , Standard 08/05/2014
<b>Definition:</b>	The size of the residual tumour remaining after the initial surgery for cancer treatment.

## Object Class attributes

### Identifying and definitional attributes

<b>Object class:</b>	<a href="#">Cancer treatment</a>
<b>Definition:</b>	<p>The course of cancer-directed treatment or treatments, with defined dates of commencement and cessation, given to the patient by a treatment provider or team of providers.</p> <p>This may include cancer-directed surgical treatment, radiation therapy and systemic agent therapy for cancer. It applies to the primary course of cancer treatment, treatment administered to the patient in response to disease progression or treatment administered to the patient in response to disease recurrence.</p>
<b>Specialisation of:</b>	<a href="#">Service/care event</a>

### Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
<b>Origin:</b>	Commission on Cancer, Standards of the Commission on Cancer Registry Operations and Data Standards (ROADS) Volume II (1998) Commission on Cancer, Facility Oncology Registry Data Standards (2002)

## Property attributes

### Identifying and definitional attributes

<b>Property:</b>	<a href="#">Post-initial surgery residual tumour size</a>
<b>Definition:</b>	The size of the residual tumour remaining after the initial surgery for treatment purposes.
<b>Property group:</b>	<a href="#">Impairment characteristic</a>

### Source and reference attributes

<b>Submitting organisation:</b>	Cancer Australia
---------------------------------	------------------

## Data element concept attributes

### Source and reference attributes

<b>Submitting organisation:</b>	Cancer Australia
<b>Reference documents:</b>	Pecorelli, S. 25th Annual Report on the Results of Treatment in Gynecological Cancer. International Journal of Gynecology & Obstetrics 2003, 83(Supp 1): 1-230.

## Relational attributes

**Data Elements  
implementing this Data  
Element Concept:**

[Cancer treatment—post-initial surgery residual tumour size category, code N](#)  
[Health](#), Standard 08/05/2014