National Indigenous Reform Agreement: PI 05-Average daily alcohol consumption and associated risk levels; rates of alcohol consumption at long-term risky to high risk levels, 2011



© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Indigenous Reform Agreement: PI 05-Average daily alcohol consumption and associated risk levels; rates of alcohol consumption at longterm risky to high risk levels, 2011

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: PI 05-Average daily alcohol consumption and associated risk levels; rates of

alcohol consumption at long-term risky to high risk levels, 2011

METEOR identifier: 425744

Registration status: <u>Indigenous,</u> Superseded 01/07/2012

Description: Proportion of Australians who consume alcohol at risky/high risk levels, by

Indigenous status.

Rationale: Excessive alcohol consumption is a major risk factor that contributes to ill health. Of

those who drink, Indigenous Australians are more likely to consume alcohol at risky/high risk levels. Reducing the rate at which Indigenous Australians to drink at

hazardous levels will assist in closing the gap in life expectancy.

Indicator set: National Indigenous Reform Agreement (2011)

Indigenous, Superseded 01/07/2012

Outcome area: Indigenous people remain healthy and free of preventable disease

Indigenous, Standard 21/07/2010

Collection and usage attributes

Population group age

from:

18 years

Computation description: Crude rates are calculated for Indigenous Australians; age-standardised rates are

calculated for Indigenous and non-Indigenous Australians.

Confidence intervals and relative standard errors are calculated for crude and age-

standardised rates.

Rate ratios and rate differences are calculated for Indigenous:non-Indigenous.

Presentation: Per 100 persons (percentage).

Computation: 100 x (Numerator ÷ Denominator).

Numerator: People aged 18 years or over assessed as having risky or high-risk alcohol

consumption.

Numerator data elements:

Data Element / Data Set

Person—alcohol consumption frequency (self-reported), code NN

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—alcohol consumption frequency (self-reported), code NN

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—alcohol consumption amount (self-reported), total standard drinks NN

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—alcohol consumption amount (self-reported), total standard drinks NN

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Data Element / Data Set-

Person—age, total years N[NN]

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—age, total years N[NN]

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Denominator: Total population of people aged 18 years or over

Denominator data elements:

Data Element / Data Set-

Person—age, total years N[NN]

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set-

Person-age, total years N[NN]

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Disaggregation:

National and state/territory, by alcohol risk level for Indigenous Australians (crude rates).

National and state/territory, by alcohol risk level, by Indigenous status (age standardised rates).

Disaggregation data elements:

Data Element / Data Set-

Person—Indigenous status, code N

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—Indigenous status, code N

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Data Element / Data Set-

Person—area of usual residence, geographical location code (ASGC 2006) NNNNN

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—area of usual residence, geographical location code (ASGC 2006) NNNNN

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Comments:

Most recent data available for 2011 CRC report: 2004-05 NATSIHS (Indigenous); 2004-05 NHS (non-Indigenous).

Rates are directly age standardised to the 2001 Australian ERP.

Risky and high/risk alcohol consumption based on estimated average daily consumption.

Data for this indicator can be found in the *Aboriginal and Torres Strait Islander Health Performance Framework* (indicator 2.20).

This indicator meets two COAG specific outcome areas: Indigenous people remain healthy and free of preventable disease *and* Alcohol and other drug abuse among Indigenous people is overcome.

Baseline year for this indicator is 2006; target year is 2031.

Representational attributes

Representation class: Percentage

Data type: Real Unit of measure: Person Format: N[N].N

Indicator conceptual framework

Framework and

Health Behaviours

dimensions:

Data source attributes

Data sources: **Data Source**

ABS 2004-05 National Health Survey (NHS)

Frequency

Every 3 years

Data custodian

Australian Bureau of Statistics

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Frequency

Every 6 years

Data custodian

Australian Bureau of Statistics

Accountability attributes

Reporting requirements: National Indigenous Reform Agreement.

Organisation responsible for providing data:

Australian Bureau of Statistics (ABS).

Further data development / Specification: Long-term.

collection required:

Relational attributes

Related metadata references:

Supersedes National Indigenous Reform Agreement: P05-Average daily alcohol consumption and associated risk levels; rates of alcohol consumption at long-term risky to high risk levels, 2010

Community Services (retired), Superseded 04/04/2011

Has been superseded by National Indigenous Reform Agreement: PI 05-Average daily alcohol consumption and associated risk levels; rates of alcohol consumption at long-term risky to high risk levels, 2012

Indigenous, Superseded 13/06/2013

See also National Healthcare Agreement: PI 07-Proportion of adults at risk of longterm harm from alcohol, 2011

Health, Superseded 30/10/2011