

# National Indigenous Reform Agreement: PI 13- Tobacco smoking during pregnancy, 2011

## Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	PI 13-Tobacco smoking during pregnancy, 2011
<b>METEOR identifier:</b>	425773
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Health</a>, Superseded 31/10/2011</li><li>• <a href="#">Indigenous</a>, Superseded 01/07/2012</li></ul>
<b>Description:</b>	Proportion of mothers who smoked during pregnancy, by Indigenous status.
<b>Rationale:</b>	Smoking during pregnancy can effect the growth and development of the foetus and infant and can carry though to childhood.
<b>Indicator set:</b>	<a href="#">National Indigenous Reform Agreement (2011) Indigenous</a> , Superseded 01/07/2012
<b>Outcome area:</b>	<a href="#">Indigenous children are born and remain healthy Indigenous</a> , Standard 21/07/2010

## Collection and usage attributes

<b>Computation description:</b>	Crude rates are calculated for Indigenous Australians; age-standardised rates are calculated for Indigenous and non-Indigenous Australians.  Rate ratios and rate differences are calculated for Indigenous:non-Indigenous.  Presentation: Per 100 mothers (percentage).									
<b>Computation:</b>	$100 \times (\text{Numerator} \div \text{Denominator})$ .									
<b>Numerator:</b>	Number of mothers who smoked during pregnancy									
<b>Numerator data elements:</b>	<table border="1"><thead><tr><th>Data Element / Data Set</th></tr></thead><tbody><tr><td><b>Data Element</b></td></tr><tr><td>Number of mothers who smoked during pregnancy</td></tr><tr><td><b>Data Source</b></td></tr><tr><td><a href="#">AIHW National Perinatal Data Collection (NPDC)</a></td></tr><tr><td><b>NMDS / DSS</b></td></tr><tr><td><a href="#">Perinatal NMDS 2008-2010</a></td></tr><tr><td><b>Guide for use</b></td></tr><tr><td>Administrative by-product data</td></tr></tbody></table>	Data Element / Data Set	<b>Data Element</b>	Number of mothers who smoked during pregnancy	<b>Data Source</b>	<a href="#">AIHW National Perinatal Data Collection (NPDC)</a>	<b>NMDS / DSS</b>	<a href="#">Perinatal NMDS 2008-2010</a>	<b>Guide for use</b>	Administrative by-product data
Data Element / Data Set										
<b>Data Element</b>										
Number of mothers who smoked during pregnancy										
<b>Data Source</b>										
<a href="#">AIHW National Perinatal Data Collection (NPDC)</a>										
<b>NMDS / DSS</b>										
<a href="#">Perinatal NMDS 2008-2010</a>										
<b>Guide for use</b>										
Administrative by-product data										
<b>Denominator:</b>	Total number of mothers									

**Denominator data elements:**

**Data Element / Data Set**

[Person—person identifier, XXXXXX\[X\(14\)\]](#)

**Data Source**

[AIHW National Perinatal Data Collection \(NPDC\)](#)

**NMDS / DSS**

[Perinatal NMDS 2008-2010](#)

**Guide for use**

Data source type: Administrative by-product data

**Disaggregation:**

National and state/territory for Indigenous mothers (crude rates).

National and state/territory, by Indigenous status (age standardised rates).

**Disaggregation data elements:**

**Data Element / Data Set**

[Person—Indigenous status, code N](#)

**Data Source**

[AIHW National Perinatal Data Collection \(NPDC\)](#)

**NMDS / DSS**

[Perinatal NMDS 2008-2010](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Person—area of usual residence, geographical location code \(ASGC 2007\) NNNNN](#)

**Data Source**

[AIHW National Perinatal Data Collection \(NPDC\)](#)

**NMDS / DSS**

[Perinatal NMDS 2008-2010](#)

**Guide for use**

Data source type: Administrative by-product data

**Comments:**

Most recent data available for 2011 CRC report is 2008.

At this stage, data are available for NSW, Queensland, WA, SA, Tasmania, NT and ACT. There are inconsistencies in the gathering of information about smoking during pregnancy across jurisdictions.

Rates are directly age standardised to the Australian female population who gave birth in the current reporting period (i.e. 2008 for reporting of 2008 data).

Maternal age is the age at the time of giving birth.

Baseline year for this indicator is 2008; target year is 2018.

**Representational attributes**

**Representation class:** Percentage

**Data type:** Real  
**Unit of measure:** Person  
**Format:** NN.N

## Indicator conceptual framework

**Framework and dimensions:** [Health Behaviours](#)

## Data source attributes

**Data sources:** **Data Source**  
[AIHW National Perinatal Data Collection \(NPDC\)](#)  
**Frequency**  
Calendar years ending 31 December each year  
**Data custodian**  
Australian Institute of Health and Welfare

## Accountability attributes

**Reporting requirements:** National Indigenous Reform Agreement.

**Organisation responsible for providing data:** Australian Institute of Health and Welfare.

**Further data development / collection required:** Specification: Long-term.

## Source and reference attributes

## Relational attributes

**Related metadata references:** Supersedes [National Indigenous Reform Agreement: P13-Tobacco smoking during pregnancy, 2010](#)

- [Community Services \(retired\)](#), Superseded 04/04/2011

Has been superseded by [National Indigenous Reform Agreement: PI 13-Tobacco smoking during pregnancy, 2012](#)

- [Indigenous](#), Superseded 13/06/2013