

# Address purpose code AA[A]

## Identifying and definitional attributes

<b>Metadata item type:</b>	Value Domain
<b>METEOR identifier:</b>	428903
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Community Services (retired)</a>, Standard 06/02/2012</li><li>• <a href="#">Disability</a>, Standard 13/08/2015</li><li>• <a href="#">Health</a>, Standard 05/10/2016</li></ul>
<b>Definition:</b>	A code set representing the role or use of an address.

## Representational attributes

<b>Representation class:</b>	Code																				
<b>Data type:</b>	String																				
<b>Format:</b>	AA[A]																				
<b>Maximum character length:</b>	3																				
<b>Permissible values:</b>	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>PR</td><td>Primary property address</td></tr><tr><td>SEC</td><td>Secondary property address</td></tr><tr><td>RES</td><td>Residential address</td></tr><tr><td>TEM</td><td>Temporary accommodation</td></tr><tr><td>BUS</td><td>Business address</td></tr><tr><td>OVS</td><td>Address when overseas</td></tr><tr><td>DEL</td><td>Delivery address</td></tr><tr><td>POS</td><td>Postal/correspondence address</td></tr><tr><td>OTH</td><td>Other address</td></tr></tbody></table>	Value	Meaning	PR	Primary property address	SEC	Secondary property address	RES	Residential address	TEM	Temporary accommodation	BUS	Business address	OVS	Address when overseas	DEL	Delivery address	POS	Postal/correspondence address	OTH	Other address
Value	Meaning																				
PR	Primary property address																				
SEC	Secondary property address																				
RES	Residential address																				
TEM	Temporary accommodation																				
BUS	Business address																				
OVS	Address when overseas																				
DEL	Delivery address																				
POS	Postal/correspondence address																				
OTH	Other address																				
<b>Supplementary values:</b>	UNK Not stated/unknown																				

## Collection and usage attributes

**Guide for use:**

PR Primary property address

The property address normally used by the client. (These addresses desirably should have been assigned by a Council).

NOTE: Where this is the principal place of residence of the client the residential code should be used.

SEC Secondary property address

The address of an additional property attached to the client.

RES Residential address

The address of the principal place of residence for the client.

TEM Temporary accommodation

The address where the client is resident for a temporary period.

BUS Business address

The address of the principal place of business for the client.

OVS Address when overseas

The address used by the client when overseas.

DEL Delivery address

The address used for goods delivery purposes.

POS Postal/correspondence address

The address used by the client for receipt of correspondence.

OTH Other address

Any other purpose not listed above.

UNK Not stated/unknown

To be used in instances where the address purpose is not stated or unknown. A null entry should be recorded.

## Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

**Origin:** Standards Australia 2006. AS 4590—2006 Interchange of client information. Sydney: Standards Australia.

## Relational attributes

**Related metadata references:**

Supersedes [Address type code N](#)

- [Community Services \(retired\)](#), Superseded 06/02/2012
- [Health](#), Superseded 05/10/2016

Supersedes [Organisation address type code N](#)

- [Community Services \(retired\)](#), Superseded 06/02/2012
- [Health](#), Superseded 05/10/2016

**Data elements  
implementing this value  
domain:**

[Address—purpose of address, code AA\[A\]](#)

- [Community Services \(retired\)](#), Standard 06/02/2012
- [Disability](#), Standard 13/08/2015
- [Health](#), Standard 05/10/2016