

# Child protection client alias cluster

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Child protection client alias cluster

## Identifying and definitional attributes

Metadata item type:	Data Set Specification
METEOR identifier:	433768
Registration status:	<a href="#">Community Services (retired)</a> , Recorded 19/08/2011 [Non Dictionary]
DSS type:	Data Element Cluster
Scope:	<p>The Client alias cluster is used to determine whether a current child protection and support services client has ever been recorded as a client of the service under an alias or assigned a different client identifier, prior to this instance of being a client.</p> <p>Information regarding all previous names and/or client identifiers is captured here and can be used to assist with data integration across years and jurisdictions.</p>

## Collection and usage attributes

Guide for use:	<p>The <i>Person—person identifier, child protection NX[X(13)]</i> is collected at least twice in the Client alias cluster.</p> <p>The first occurrence of this data element must match the identifier in the Child protection and support services (CPSS) client DSS exactly. The second and subsequent occurrences are identifiers which may have been allocated upon prior instances of the child becoming a client of child protection services.</p> <p>The <i>Person—letters of given name, text XX</i> and <i>Person—letters of family name, text XXX</i> may also be collected multiple times, to reflect any name changes that the client may undergo.</p> <p>The above data elements are used for data integration purposes.</p>
Collection methods:	All identifiers that have been used to identify the child should be included in this file.
Comments:	The 2010 unit record collection is a pilot test, therefore the implementation of the unit record data collection across all jurisdictions has not been finalised. The pilot test is a non-mandatory data set specification, rather than a national minimum data set specification, and is subject to change. A final unit record child protection NMDS will be developed when the results from the pilot/dress rehearsal testing are obtained and evaluated.

## Source and reference attributes

Submitting organisation:	Performance and Data Working Group
Origin:	Australian Institute of Health and Welfare (AIHW) 2010. Child protection and support services National Minimum Data Set, data collection manual for the 2010 pilot collection. AIHW: Canberra.

## Relational attributes

Implementation in Data Set Specifications:	<p><a href="#">Child protection and support services (CPSS) client DSS Pilot (2010)</a> <a href="#">Community Services (retired)</a>, Recorded 19/08/2011</p> <p><b>Conditional obligation:</b> This cluster should only be collected if the client has been known to the Department responsible for child protection prior to this instance of being a client.</p>
--	---

## Metadata items in this Data Set Specification

Seq No.	Metadata item	Obligation	Max occurs
-	<a href="#">Person—letters of family name, text XXX</a>	Mandatory	99
	<b>DSS specific information:</b>		
	The 2nd, 3rd and 5th letters of the client's family name are combined with the 2nd and 3rd letters of the client's given name to obtain the 5 digit letters of the client's name.		
-	<a href="#">Person—letters of given name, text XX</a>	Mandatory	99
	<b>DSS specific information:</b>		
	The 2nd and 3rd letters of the client's given name are combined with the 2nd, 3rd and 5th letters of the client's family name to obtain the 5 digit letters of the client's name.		
-	<a href="#">Person—person identifier, child protection NX[X(11)]</a>	Mandatory	99
	<b>DSS specific information:</b>		
	This item is collected at least twice in the client alias file. The first occurrence of this data element must match the identifier in the Child protection and support services (CPSS) client DSS exactly. The second and subsequent occurrences are identifiers which may have been allocated prior to the child being identified as an existing client.		