

Address details data dictionary

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Address details data dictionary

Identifying and definitional attributes

Metadata item type: Data Set Specification

METEOR identifier: 434713

Registration status: [Community Services \(retired\)](#), Standard 06/02/2012
[Disability](#), Standard 13/08/2015

DSS type: Data Set Specification (DSS)

Scope: The address details data dictionary is used to collect information pertaining to an address, which is defined as a collection of information used for describing the location of an entity, and/or details describing how the entity can be contacted. It is based on the Standards prepared by Standards Australia Subcommittee IT-027-01, Personal and Corporate Data-Representation and Management, for Committee IT-027, Data Management and Interchange to supersede AS 4590-1999.

The revised AS 4590—2006 Interchange of client information standard is a result of industry concern at the numerous data interchange formats used within the information technology industry. The objective of the Standard is to provide industry with a common client data interchange standard.

Wherever possible, the definitions of data elements are based on existing standards.

Reference has been made to International and Australian Standards, and to standards from the Australian Bureau of Statistics.

Collection and usage attributes

Guide for use: The Address details data dictionary is one of a suite of data dictionaries based on the AS 4590—2006 Interchange of client information standard. This suite of data dictionaries is not limited to a specific data collection. The aim is to enable data developers to select appropriate data elements to use in meeting the needs of their data collection. These data dictionaries are:

- Party identifier details data dictionary
- Electronic contact details data dictionary
- Organisation details data dictionary
- Person details data dictionary

A table has been created to show the mapping between the data elements within the Address details data dictionary and the AS 4590—2006 Interchange of client information standard. See: [Address details mapping](#)

The AS 4590—2006 Interchange of client information standard recommends using a number of components for the following address items:

Primary address

Components of the primary address are:

- (i) Address site (or Primary Complex) name.
- (ii) Address number or number range.
- (iii) Road name (name/type/suffix).
- (iv) Locality.
- (v) State/Territory.
- (vi) Postcode (optional).
- (vii) Country (if applicable).

Addressing within a complex

Complex addresses provide for the unique identification of secondary address sites within a larger, primary address site. A complex address requires both parts (secondary

and primary) to provide unique definition.

Components of the secondary address are:

- (i) Sub-dwelling (sub-complex) unit type and number or identifier.
- (ii) Level type/level number (if applicable).
- (iii) Private road number and Private road name or an equivalent identifier (if applicable).
- (iv) Secondary Complex (or Utility) name (if applicable).

NOTE: Components (iii) and (iv) may be reversed where the sub-dwelling type/number is an integral part of the Secondary Complex, e.g. an office within a building, or where the secondary complex has no addressable sub-complex components and is unique to the private road in question, e.g. the Sergeants Mess in an army barracks.

Geocode

A geocode describes the coordinates that define the position of an address point. Geocodes apply to a variety of address sites and features. It caters for the needs of a variety of users, with a particular focus on the needs of emergency and other essential service providers.

There are a number of elements needed to define a unique address geocode. Geocoded addresses fundamentally consist of coordinates associated with an address site feature. The geocode component of an address site shall contain—

- (a) the datum and coordinate system being used (usually as metadata);
- (b) the coordinates; and
- (c) the address site feature being referenced (by individual record).

The geocode component should also contain geocode accuracy (by individual record).

Note that users of latitude and longitude metadata may have different requirements. Therefore in addition to the latitude and longitude data elements using the decimal degrees representation, (based on the AS 4590 standard) two additional data elements have been created. These items use the traditional degrees, minutes and seconds representation, and are based on the AS 6709:2008 *Standard representation of latitude, longitude and altitude for geographic point locations* standard.

Comments:

The addressing information interchange section of AS 4590 has been aligned with AS/NZS 4819, Geographic information—Rural and urban addressing. AS/NZS 4819 was compiled to direct authorities required to allocate physical addresses, whether they be to properties, features or facilities. This revision of AS 4590 has been extended to cater for new address provisions noted in AS/NZS 4819 and has been reviewed and amended to minimise ambiguity and maximise understanding in client data interchange.

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
Origin:	Standards Australia 2006. AS 4590—2006 Interchange of client information. Sydney: Standards Australia.
	Standards Australia/Standards New Zealand 2008. AS/NZS ISO6709:2008—Standard representation of latitude, longitude and altitude for geographic point locations. Sydney/Wellington: Standards Australia/Standards NZ.
Reference documents:	Originated as part of AS 4212-1994.
	Previous edition AS 4590-1999.
	Second edition 2006.

Relational attributes

Related metadata references:

See also [Electronic contact details data dictionary](#)
Community Services (retired), Standard 06/02/2012
[Disability](#), Standard 13/08/2015

See also [Organisation details data dictionary](#)
Community Services (retired), Standard 06/02/2012
[Disability](#), Standard 13/08/2015

See also [Party identifier details data dictionary](#)
Community Services (retired), Standard 06/02/2012
[Disability](#), Standard 13/08/2015

See also [Person details data dictionary](#)
Community Services (retired), Standard 06/02/2012
[Disability](#), Standard 13/08/2015

Implementation in Data Set Specifications:

[Disability data dictionary](#)
Community Services (retired), Standard 10/04/2013
[Disability](#), Superseded 13/08/2015

[Disability data dictionary](#)
[Disability](#), Standard 13/08/2015

Metadata items in this Data Set Specification

Seq No.	Metadata item	Obligation	Max occurs
-	Address—address currency status, code A	Optional	1
-	Address—address end date, DDMMYYYY	Optional	1
-	Address—address end time, hhmmss	Optional	1
-	Address—address site name, text X[X(49)]	Optional	1
-	Address—address start date, DDMMYYYY	Optional	1
-	Address—address start time, hhmmss	Optional	1
-	Address—address status identifier, code AAA	Optional	1
-	Address—Australian postcode, Australian postcode code (Postcode datafile) {NNNN}	Optional	1
-	Address—Australian state/territory identifier, code AA[A]	Optional	1
-	Address—building/complex sub-unit type, code AA[AA]	Optional	1
-	Address—complex road name, text X[X(44)]	Optional	1
-	Address—complex road number 1, road number XXXXXX	Optional	1
-	Address—complex road number 2, road number XXXXXX	Optional	1
-	Address—complex road suffix, street suffix code A[A]	Optional	1
-	Address—complex road type, code AA[AA]	Optional	1
-	Address—country identifier, country code (ISO 3166) AA	Optional	1
-	Address—floor/level type, code A[AAA]	Optional	1
-	Address—geocode containment indicator, yes/no code N	Optional	1
-	Address—geocode feature, text X[X(29)]	Optional	1
-	Address—geocode geographic datum, text X[X(9)]	Optional	1
-	Address—geocode height, total metres N[NNNN].NNN	Optional	1
-	Address—geocode latitude, decimal degrees XN[N].N(9)]	Optional	1
-	Address—geocode latitude, degrees minutes seconds Xd{d}{mm}{ss}{ss}	Optional	1
-	Address—geocode longitude, decimal degrees XN[NN].N(9)]	Optional	1

Seq No.	Metadata item	Obligation	Max occurs
-	Address—geocode longitude, degrees minutes seconds Xd[dd]{mm}{ss}{.ss}	Optional	1
-	Address—geocode positional uncertainty, total metres N[NNN].NNN	Optional	1
-	Address—geocode vertical datum, text X[X(9)]	Optional	1
-	Address—level number, identifier X[XXXX]	Optional	1
-	Address—location descriptor, text X[X(49)]	Optional	1
-	Address—lot number, identifier X[XXXXXX]	Optional	1
-	Address—physical address indicator, yes/no code N	Optional	1
-	Address—postal delivery number, identifier X[X(10)]	Optional	1
-	Address—postal delivery point identifier, identifier {N(8)}	Optional	1
-	Address—postal delivery service type identifier, code AA[A(9)]	Optional	1
-	Address—purpose of address, code AA[A]	Optional	1
-	Address—road name, text X[X(44)]	Optional	1
-	Address—road number 1, road number XXXXXX	Optional	1
-	Address—road number 2, road number XXXXXX	Optional	1
-	Address—road suffix, street suffix code A[A]	Optional	1
-	Address—road type, code AA[AA]	Optional	1
-	Address—secondary complex name, text X[X(49)]	Optional	1
-	Address—sub-dwelling unit number, identifier X[X(6)]	Optional	1
-	Address—suburb/town/locality name, text X[X(45)]	Optional	1
-	Address—unstructured address line, text X[X(49)]	Optional	1