

National Healthcare Agreement: PI 63-Children's hearing loss, 2012

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement: PI 63-Children's hearing loss, 2012

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Progress measure
Short name:	PI 63-Children's hearing loss, 2012
METEOR identifier:	435995
Registration status:	Health , Retired 25/06/2013
Description:	Prevalence of hearing loss and otitis media in children
Indicator set:	National Healthcare Agreement (2012) Health , Superseded 25/06/2013
Outcome area:	Social Inclusion and Indigenous Health Health , Standard 07/07/2010 Indigenous , Standard 11/09/2012

Collection and usage attributes

Population group age from:	0 years
Population group age to:	14 years
Computation description:	Hearing loss measured in three different aggregations of long-term conditions: <ol style="list-style-type: none">1. Complete and partial deafness2. Complete and partial deafness and otitis media3. All diseases of the ear and mastoid <p>Rates are directly age-standardised to the 2001 Australian population.</p> <p>Analysis by remoteness and SEIFA Index of Relative Socioeconomic Disadvantage (IRSD) is based on usual residence of person.</p> <p>Presented per 1,000 population.</p>
Computation:	$1,000 \times (\text{Numerator} \div \text{Denominator})$
Numerator:	Number of children aged 0–14 years with hearing loss or otitis media
Numerator data elements:	

Data Element / Data Set

Data Element

Hearing loss (self-reported) as described by ICD-10 or ABS input codes

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey
See the NHS User Guide for further information.

Data Element / Data Set

Data Element

Hearing loss (self-reported) as described by ICD-10 or ABS input codes

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey
See the NHS User Guide for further information.

Data Element / Data Set

Data Element

Hearing loss (self-reported) as described by ICD-10 or ABS input codes

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey
See the NATSIHS User Guide for further information.

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey

Denominator:

Population aged 0–14 years

Denominator data elements:

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey

Disaggregation:

State and territory, by condition:

- age group
- Indigenous status
- remoteness (Australian Standard Geographical Classification Remoteness Structure)
- SEIFA Index of Relative Socioeconomic Disadvantage (IRSD) quintiles.

Nationally, by SEIFA IRSD deciles

Some disaggregation may result in numbers too small for publication.

Disaggregation data elements:

Data Element / Data Set

Data Element

Hearing loss (self-reported) as described by ICD-10 or ABS input codes

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey
See the NHS User Guide for further information.

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey](#)

[\(NATSIHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—area of usual residence, geographical location code \(ASGC 2006\) NNNNN](#)

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory remoteness and SEIFA IRSD

Data Element / Data Set

Data Element

Hearing loss (self-reported) as described by ICD-10 or ABS input codes

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

See the NHS User Guide for further information.

Data Element / Data Set

Data Element

Hearing loss (self-reported) as described by ICD-10 or ABS input codes

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey

See the NATSIHS User Guide for further information.

Data Element / Data Set

[Person—area of usual residence, geographical location code \(ASGC 2004\) NNNNN](#)

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory, remoteness and SEIFA IRSD

Data Element / Data Set

[Person—area of usual residence, geographical location code \(ASGC 2004\) NNNNN](#)

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey
Used for disaggregation by state/territory, remoteness and SEIFA IRSD

Data Element / Data Set

[Person—Indigenous status, code N](#)

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—Indigenous status, code N](#)

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Comments:

Most recent data available for 2012 CRC report: 2007–08 (total population: NHS); 2004-05 (Indigenous status: NATSIHS and NHS)

NO NEW DATA FOR 2012 REPORTING

Representational attributes

Representation class: Rate
Data type: Real
Unit of measure: Person

Format: NN[N.N]

Indicator conceptual framework

Framework and dimensions: [Health conditions](#)

Data source attributes

Data sources:

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Frequency

Every 3 years

Data custodian

Australian Bureau of Statistics

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Frequency

Every 3 years

Data custodian

Australian Bureau of Statistics

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Frequency

Every 6 years

Data custodian

Australian Bureau of Statistics

Accountability attributes

Reporting requirements: National Healthcare Agreement

Organisation responsible for providing data: Australian Bureau of Statistics

Further data development / collection required: Specification: Long-term

Source and reference attributes

Reference documents: [Australian Bureau of Statistics 2006. National Aboriginal and Torres Strait Islander Health Survey: Users' Guide. Cat. no. 4715.0.55.004. Canberra: ABS.](#)

[Australian Bureau of Statistics 2006. National Health Survey: Users' Guide—Electronic. Cat. no. 4363.0.55.001. Canberra: ABS.](#)

[Australian Bureau of Statistics 2006. National Health Survey: Users' Guide—Electronic. Cat. no. 4363.0.55.001. Canberra: ABS.](#)

Relational attributes

**Related metadata
references:**

Supersedes [National Healthcare Agreement: PI 63-Children's hearing loss, 2011
Health](#), Superseded 31/10/2011