

National Healthcare Agreement: PI 63-Children's hearing loss, 2012

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Progress measure
Short name:	PI 63-Children's hearing loss, 2012
METEOR identifier:	435995
Registration status:	<ul style="list-style-type: none">• Health, Retired 25/06/2013
Description:	Prevalence of hearing loss and otitis media in children
Indicator set:	National Healthcare Agreement (2012) Health , Superseded 25/06/2013
Outcome area:	Social Inclusion and Indigenous Health Health , Standard 07/07/2010 Indigenous , Standard 11/09/2012

Collection and usage attributes

Population group age from:	0 years
Population group age to:	14 years
Computation description:	Hearing loss measured in three different aggregations of long-term conditions: <ol style="list-style-type: none">1. Complete and partial deafness2. Complete and partial deafness and otitis media3. All diseases of the ear and mastoid <p>Rates are directly age-standardised to the 2001 Australian population.</p> <p>Analysis by remoteness and SEIFA Index of Relative Socioeconomic Disadvantage (IRSD) is based on usual residence of person.</p> <p>Presented per 1,000 population.</p>
Computation:	$1,000 \times (\text{Numerator} \div \text{Denominator})$
Numerator:	Number of children aged 0–14 years with hearing loss or otitis media
Numerator data elements:	

Data Element / Data Set

Data Element

Hearing loss (self-reported) as described by ICD-10 or ABS input codes

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey
See the NHS User Guide for further information.

Data Element / Data Set

Data Element

Hearing loss (self-reported) as described by ICD-10 or ABS input codes

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey
See the NHS User Guide for further information.

Data Element / Data Set

Data Element

Hearing loss (self-reported) as described by ICD-10 or ABS input codes

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey
See the NATSIHS User Guide for further information.

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey

Denominator:

Population aged 0–14 years

Denominator data elements:

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey

Disaggregation:

State and territory, by condition:

- age group
- Indigenous status
- remoteness (Australian Standard Geographical Classification Remoteness Structure)
- SEIFA Index of Relative Socioeconomic Disadvantage (IRSD) quintiles.

Nationally, by SEIFA IRSD deciles

Some disaggregation may result in numbers too small for publication.

Disaggregation data elements:

Data Element / Data Set

Data Element

Hearing loss (self-reported) as described by ICD-10 or ABS input codes

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey
See the NHS User Guide for further information.

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—area of usual residence, geographical location code \(ASGC 2006\) NNNNN](#)

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory remoteness and SEIFA IRSD

Data Element / Data Set

Data Element

Hearing loss (self-reported) as described by ICD-10 or ABS input codes

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

See the NHS User Guide for further information.

Data Element / Data Set

Data Element

Hearing loss (self-reported) as described by ICD-10 or ABS input codes

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey

See the NATSIHS User Guide for further information.

Data Element / Data Set

[Person—area of usual residence, geographical location code \(ASGC 2004\) NNNNN](#)

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory, remoteness and SEIFA IRSD

Data Element / Data Set

[Person—area of usual residence, geographical location code \(ASGC 2004\) NNNNN](#)

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey
Used for disaggregation by state/territory, remoteness and SEIFA IRSD

Data Element / Data Set

[Person—Indigenous status, code N](#)

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—Indigenous status, code N](#)

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2007-08 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Guide for use

Data source type: Survey

Comments:

Most recent data available for 2012 CRC report: 2007–08 (total population: NHS); 2004-05 (Indigenous status: NATSIHS and NHS)

NO NEW DATA FOR 2012 REPORTING

Representational attributes

Representation class: Rate

Data type: Real

Unit of measure: Person
Format: NN[N.N]

Indicator conceptual framework

Framework and dimensions: [Health conditions](#)

Data source attributes

Data sources: **Data Source**

[ABS 2007-08 National Health Survey \(NHS\)](#)

Frequency

Every 3 years

Data custodian

Australian Bureau of Statistics

Data Source

[ABS 2004-05 National Health Survey \(NHS\)](#)

Frequency

Every 3 years

Data custodian

Australian Bureau of Statistics

Data Source

[ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey \(NATSIHS\)](#)

Frequency

Every 6 years

Data custodian

Australian Bureau of Statistics

Accountability attributes

Reporting requirements: National Healthcare Agreement

Organisation responsible for providing data: Australian Bureau of Statistics

Further data development/ collection required: Specification: Long-term

Source and reference attributes

Reference documents: [Australian Bureau of Statistics 2006. National Aboriginal and Torres Strait Islander Health Survey: Users' Guide. Cat. no. 4715.0.55.004. Canberra: ABS.](#)

[Australian Bureau of Statistics 2006. National Health Survey: Users' Guide—Electronic. Cat. no. 4363.0.55.001. Canberra: ABS.](#)

[Australian Bureau of Statistics 2006. National Health Survey: Users' Guide—Electronic. Cat. no. 4363.0.55.001. Canberra: ABS.](#)

Relational attributes

Related metadata references:

Supersedes [National Healthcare Agreement: PI 63-Children's hearing loss, 2011](#)

- [Health](#), Superseded 31/10/2011