# Indigenous primary health care: Pl23a-Number of regular clients with Type II diabetes who have had a blood pressure measurement result recorded, 2012



#### © Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# Indigenous primary health care: Pl23a-Number of regular clients with Type II diabetes who have had a blood pressure measurement result recorded, 2012

## Identifying and definitional attributes

Metadata item type: Indicator

**Indicator type:** Output measure

**Short name:** Pl23a-Number of regular clients with Type II diabetes who have had a blood

pressure measurement result recorded, 2012

METEOR identifier: 441412

Registration status: Health, Superseded 23/02/2012

**Description:** NOTE: THIS PERFORMANCE INDICATOR HAS BEEN SUPERSEDED BY ITS

EQUIVALENT FOR 2013, WITHOUT BEING MADE A STANDARD.

Number of regular clients who are Indigenous, have Type II diabetes and who have had a blood pressure measurement result recorded at the primary health care

service within the previous 6 months.

Rationale: For Indigenous people with Type II diabetes, monitoring blood pressure can help

assure appropriate medical care to lower the risk of macrovascular (stroke, heart attack and heart failure) and microvascular (kidney disease, eye disease and

peripheral neuropathy) complications.

Indigenous primary health care key performance indicators (2012)

Health, Superseded 23/02/2012

# Collection and usage attributes

Computation description: Count of regular clients who are Indigenous, have Type II diabetes and who have

had a blood pressure measurement result recorded at the primary health care

service within the previous 6 months.

'Regular client' refers to a client of an OATSIH-funded primary health care service

(that is required to report against the Indigenous primary health care key

performance indicators) who has an active medical record; that is, a client who has attended the OATSIH-funded primary health care service at least 3 times in 2

years.

Exclude Type I diabetes, secondary diabetes, gestational diabetes mellitus (GDM),

previous GDM, impaired fasting glucose, impaired glucose tolerance.

Results arising from measurements conducted outside of the service, that are

known by the service, are included in the calculation of this indicator.

Presented as a number.

Computation: Numerator only

**Numerator:** Number of regular clients who are Indigenous, have Type II diabetes and who have

had a blood pressure measurement result recorded at the primary health care

service within the previous 6 months.

#### Numerator data elements:

#### Data Element / Data Set

Person-Indigenous status, code N

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2012-14

#### Data Element / Data Set

Person-diabetes mellitus status, code NN

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2012-14

Guide for use

Type II diabetes only.

#### Data Element / Data Set-

Person—regular client indicator, yes/no code N

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2012-14

#### Data Element / Data Set-

Person—blood pressure measurement result recorded indicator, yes/no code N

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2012-14

#### Disaggregation:

- 1. Sex:
- a) Male
- b) Female
- 2. Age:
- a) 0-4 years
- b) 5-14 years
- c) 15-24 years
- d) 25-34 years
- e) 35-44 years
- f) 45-54 years
- g) 55-64 years h) 65 years and over

Disaggregation data elements:

-Data Element / Data Set-

Person-sex, code N

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2012-14

Data Element / Data Set

Person—age, total years N[NN]

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2012-14

# Representational attributes

Representation class: Count

Data type: Real

Unit of measure: Person

### Indicator conceptual framework

Framework and dimensions:

Effective/Appropriate/Efficient

#### **Data source attributes**

Data sources: 

Data Source

Indigenous primary health care data collection

Frequency

6 monthly

Data custodian

Australian Institute of Health and Welfare.

#### Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare (AIHW)

Department of Health and Ageing (DoHA)

### Relational attributes

# Related metadata references:

Has been superseded by <u>Indigenous primary health care: Pl23a-Number of regular clients with Type II diabetes who have had a blood pressure measurement result recorded, 2013</u>

Health, Superseded 21/11/2013 Indigenous, Superseded 21/11/2013

See also <u>Indigenous primary health care: PI23b-Proportion of regular clients with Type II diabetes who have had a blood pressure measurement result recorded, 2012</u>

Health, Superseded 23/02/2012