Person with cancer—reason(s) second-line treatment administered, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person with cancer—reason(s) second-line treatment administered, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Reason(s) second-line treatment administered
METEOR identifier:	457437
Registration status:	Health, Standard 08/05/2014
Definition:	The reason(s) that <u>second-line treatment</u> , treatment that was not part of the planned initial course of treatment, was administered to a person with cancer, as represented by a code.
Data Element Concept:	Person with cancer—reason(s) second-line treatment administered
Value Domain:	Reason(s) second-line treatment administered code N

Value domain attributes

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	Ν	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	Incomplete response to first-line treatment
	2	Toxic effects of first-line treatment
	3	Recurrence or progressive disease
	6	Other
Supplementary values:	7	Not applicable-no second-line treatment administered
	8	Unknown whether second-line treatment administered
	9	Second-line treatment administered but reason for not stated/inadequately described

Collection and usage attributes

Guide for use: Record each relevant code at the commencement of second-line treatment for cancer.

Source and reference attributes

Submitting organisation: Cancer Australia

Data element attributes

Collection and usage attributes

 Guide for use:
 Record the reason(s) second-line treatment was administered for cancer. This item can be recorded multiple times for each person with cancer (for example both incomplete response and toxic effects) and may be updated if any of the supplementary values were previously recorded.

 It may be given when the cancer doesn't respond to first-line treatment, when first-line treatment has side effects that are not tolerated, or for disease progression or recurrence following a disease-free interval. The first recurrence may be many years after initial diagnosis and treatment for some patients.

Collection methods: This information should be sought from the patient's medical record.

Source and reference attributes

Submitting organisation:	Cancer Australia
Reference documents:	Royal College of Physicians of London 1999. Lung cancer: a core data set. London: Royal College of Physicians of London
	National Cancer Institute, 2008. Dictionary of Cancer Terms. Definition of second- line therapy. Viewed June 14, 2011, http://www.expertglossary.com/cancer/definition/second-line-therapy
Relational attributes	

Implementation in Data Set Lung cancer (clinical) DSS Specifications: Health, Superseded 14/05/2015 Conditional obligation: Conditional on the administration of second-line treatment for cancer. Lung cancer (clinical) NBPDS Health, Standard 14/05/2015 Conditional obligation: Conditional obligation:

Conditional on the administration of second-line treatment for cancer.