

Indigenous primary health care: PI16b- Proportion of regular clients whose alcohol consumption status has been recorded, 2013

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	PI16b-Proportion of regular clients whose alcohol consumption status has been recorded, 2013
METEOR identifier:	468123
Registration status:	<ul style="list-style-type: none">• Health, Superseded 21/11/2013• Indigenous, Superseded 21/11/2013
Description:	Proportion of regular clients who are Indigenous, aged 15 years and over and who have had their alcohol consumption status recorded at the primary health care service within the previous 24 months.
Rationale:	It is important to collect information on alcohol consumption because excessive consumption is associated with health and social problems in all populations, including the Indigenous population.
Indicator set:	Indigenous primary health care key performance indicators (2013) Health , Superseded 21/11/2013 Indigenous , Superseded 21/11/2013

Collection and usage attributes

Population group age from:	15 years
-----------------------------------	----------

Computation description: Proportion of regular clients who are Indigenous, aged 15 years and over and who have had their alcohol consumption status recorded at the primary health care service within the previous 24 months.

'Regular client' refers to a client of an OATSIH-funded primary health care service (that is required to report against the Indigenous primary health care key performance indicators) who has an active medical record; that is, a client who has attended the OATSIH-funded primary health care service at least 3 times in 2 years.

Alcohol consumption status has been recorded if the health service has either:

a) A record of whether the client consumes alcohol or;

b) A record specifying the amount and frequency of the client's alcohol consumption

Results arising from measurements conducted outside of the service, that are known by the service, are included in the calculation of this indicator.

Presented as a percentage.

Computation: $(\text{Numerator} \div \text{Denominator}) \times 100$

Numerator: Number of regular clients who are Indigenous, aged 15 years and over and who have had their alcohol consumption status recorded at the primary health care service within the previous 24 months.

Numerator data elements:

Data Element / Data Set

[Person—Indigenous status, code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2012-14](#)

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2012-14](#)

Data Element / Data Set

[Person—regular client indicator, yes/no code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2012-14](#)

Data Element / Data Set

[Person—alcohol consumption status recorded indicator, yes/no code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2012-14](#)

Denominator:

Total number of regular clients who are Indigenous and aged 15 years and over.

Denominator data elements:

Data Element / Data Set

[Person—Indigenous status, code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2012-14](#)

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2012-14](#)

Guide for use

Limited to persons aged 15 years and over.

Data Element / Data Set

[Person—regular client indicator, yes/no code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2012-14](#)

Disaggregation:

1. Sex:
 - a) Male
 - b) Female
2. Age:
 - a) 15-24 years
 - b) 25-34 years
 - c) 35-44 years
 - d) 45-54 years
 - e) 55-64 years
 - f) 65 years and over

Disaggregation data elements:

Data Element / Data Set

[Person—sex_code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2012-14](#)

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2012-14](#)

Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Person

Indicator conceptual framework

Framework and dimensions: [Health Behaviours](#)

Data source attributes

Data sources: **Data Source**

[Indigenous primary health care data collection](#)

Frequency

6 monthly

Data custodian

Australian Institute of Health and Welfare.

Accountability attributes

Further data development / collection required: Additional work is required on an agreed definition for 'alcohol consumption', particularly if this metadata item is to be linked to an indicator of the number or proportion of regular clients recorded as at risk of long-term harm from alcohol consumption.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare (AIHW)

Department of Health and Ageing (DoHA)

Relational attributes

Related metadata references:

Supersedes [Indigenous primary health care: P116b-Proportion of regular clients whose alcohol consumption status has been recorded, 2012](#)

- [Health](#), Superseded 23/02/2012

Has been superseded by [Indigenous primary health care: P116b-Proportion of regular clients whose alcohol consumption status has been recorded, 2014](#)

- [Health](#), Superseded 13/03/2015
- [Indigenous](#), Superseded 13/03/2015

See also [Indigenous primary health care: P116a-Number of regular clients whose alcohol consumption status has been recorded, 2013](#)

- [Health](#), Superseded 21/11/2013
- [Indigenous](#), Superseded 21/11/2013