

Person with cancer—late effect type, text X[X(399)]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person with cancer—late effect type, text X[X(399)]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Late effect type text
METEOR identifier:	469786
Registration status:	Health , Standard 04/02/2015
Definition:	The type of late effect related to the cancer and/or cancer treatment which the person with cancer is experiencing, as represented by text.
Data Element Concept:	Person with cancer—late effect type
Value Domain:	Text X[X(399)]

Value domain attributes

Representational attributes

Representation class:	Text
Data type:	String
Format:	X[X(399)]
Maximum character length:	400

Data element attributes

Collection and usage attributes

Guide for use:	<p>Record the type of late effect the person with cancer experiences that is related to the cancer and/or cancer treatment. This item can be recorded multiple times for multiple late effects, but only one late effect should be recorded in each instance of this item.</p> <p>This excludes issues relating to the recurrence of cancer or progression of the disease. This may be as a result of the treatment, the disease process, or both. Examples of late effects relating to cancer are infertility, hyperthyroidism, scoliosis, cognitive impairment and congestive heart failure.</p>
----------------	--

Source and reference attributes

Submitting organisation:	Cancer Australia
Reference documents:	Meadows AT (2003). Pediatric Cancer Survivors: Past History and Future Challenges. <i>Current Problems in Cancer</i> , 27(3), 177.

Relational attributes

Related metadata references:	<p>See also Person with cancer—date of late effect, DDMMYYYY Health, Standard 04/02/2015</p> <p>See also Person with cancer—late effect indicator, yes/no/unknown/not stated/inadequately described code N Health, Standard 04/02/2015</p>
------------------------------	--

Implementation in Data Set Specifications: [Adolescent and young adult cancer \(clinical\) DSS](#)
[Health](#), Superseded 14/05/2015
Conditional obligation: Complete when [Person with cancer—late effects indicator, yes/no/unknown/not stated/inadequately described code N](#) equals 'yes'.
[Adolescent and young adult cancer \(clinical\) NBPDS](#)
[Health](#), Standard 14/05/2015
Conditional obligation:
Complete when [Person with cancer—late effects indicator, yes/no/unknown/not stated/inadequately described code N](#) equals 'yes'.