National Indigenous Reform Agreement: PI 04-Levels of risky alcohol consumption, 2013

Exported from METEOR (AIHW's Metadata Online Registry)
© Australian Institute of Health and Welfare 2024
This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have

made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Indigenous Reform Agreement: Pl 04-Levels of risky alcohol consumption, 2013

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: PI 04-Levels of risky alcohol consumption, 2013

METEOR identifier: 482978

Registration status: <u>Indigenous</u>, Superseded 13/12/2013

Description: Proportion of Australians who consume alcohol at risky/high risk levels, by

Indigenous status.

Rationale: Excessive alcohol consumption is a major risk factor that contributes to ill health. Of

those who drink, Indigenous Australians are more likely to consume alcohol at risky/high risk levels. Reducing the rate at which Indigenous Australians to drink at

hazardous levels will assist in closing the gap in life expectancy.

Indicator set: National Indigenous Reform Agreement (2013)

Indigenous, Superseded 13/12/2013

Outcome area: Indigenous people remain healthy and free of preventable disease

Indigenous, Standard 21/07/2010

Collection and usage attributes

Population group age

from:

18 years.

Computation description: Crude rates are calculated for Indigenous Australians.

Age-standardised rates are calculated for Indigenous and non-Indigenous

Australians.

95% confidence intervals and relative standard errors are calculated for crude and

age-standardised rates.

Rate ratios and rate differences are calculated for Indigenous:non-Indigenous.

Presentation: Per 100 persons (percentage).

Computation: Crude rate: 100 x (Numerator ÷ Denominator).

Age-standardised rate: calculated using the direct method with the 2001 Australian population as at 30 June as the standard. Ten year age groups are used from 0-4 years to 55 years and over to be consistent with estimates published by the ABS.

Rate ratio: Indigenous age-standardised rate divided by non-Indigenous age-

standardised rate.

Rate difference: Indigenous age-standardised rate minus non-Indigenous age-

standardised rate.

Numerator: People aged 18 years or over assessed as having risky or high-risk alcohol

consumption.

Numerator data elements: Data Element / Data Set

Person—alcohol consumption frequency (self-reported), code NN

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—alcohol consumption frequency (self-reported), code NN

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—alcohol consumption amount (self-reported), total standard drinks NN

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set-

Person—alcohol consumption amount (self-reported), total standard drinks NN

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—age, total years N[NN]

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—age, total years N[NN]

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Denominator data elements:

Data Element / Data Set

Person—age, total years N[NN]

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Person-age, total years N[NN]

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Disaggregation:

National and state/territory, by alcohol risk level for Indigenous Australians (crude rates).

National and state/territory, by alcohol risk level, by Indigenous status (agestandardised rates).

Disaggregation data elements:

-Data Element / Data Set

Person-Indigenous status, code N

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—Indigenous status, code N

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Data Element / Data Set-

Person—area of usual residence, geographical location code (ASGC 2006) NNNNN

Data Source

ABS 2004-05 National Health Survey (NHS)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—area of usual residence, geographical location code (ASGC 2006) NNNNN

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Guide for use

Data source type: Survey

Comments: NO NEW DATA FOR 2013 REPORTING.

Most recent data available: 2004-05 NATSIHS (Indigenous); 2004-05 NHS (non-Indigenous). The next available data source will be the 2011-13 Australian Health Survey (sourcing the 2012-13 AATSIHS and 2011-12 NHS).

Risky and high/risk alcohol consumption based on estimated average daily consumption.

This indicator meets two COAG specific outcome areas: Indigenous people remain healthy and free of preventable disease *and* Alcohol and other drug abuse among Indigenous people is overcome.

At this stage, data are available for persons aged 15 years and over only. Data from the NATSIHS are available for remote and very remote areas. The NHS does not cover very remote areas.

Baseline year for NIRA target (Close the life expectancy gap within a generation) is 2006; baseline year for this indicator is 2004-05; target year is 2031. Projections from the 2011 Census will be available in March 2014, at which point rates will need to be defined back to baseline.

Risky or high risk alcohol consumption is measured by the concept of 'Lifetime risk of alcohol harm' which is defined according to the 2009 National Health and Medical Research Council guidelines: for males and females, no more than two standard drinks on any day. This has been operationalised as: for both males and females, an average of more than 2 standard drinks per day in the last week.

Representational attributes

Representation class: Percentage

Data type:RealUnit of measure:PersonFormat:N[N].N

Indicator conceptual framework

Framework and dimensions:

Health Behaviours

Data source attributes

Data sources:

Data Source

ABS 2004-05 National Health Survey (NHS)

Frequency

Every 3 years

Data custodian

Australian Bureau of Statistics

Data Source

ABS 2004-05 National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)

Frequency

Every 6 years

Data custodian

Australian Bureau of Statistics

Accountability attributes

Reporting requirements: National Indigenous Reform Agreement.

Organisation responsible for providing data:

Australian Bureau of Statistics (ABS).

Further data development / Specification: Long-term.

0 :5 :: 1

collection required:

Source and reference attributes

Steward: National Indigenous Reform Agreement Performance Information Management

Group

Relational attributes

Related metadata references:

Supersedes National Indigenous Reform Agreement: PI 05-Average daily alcohol consumption and associated risk levels; rates of alcohol consumption at long-term

risky to high risk levels, 2012

Indigenous, Superseded 13/06/2013

Has been superseded by National Indigenous Reform Agreement: PI 04-Levels of

risky alcohol consumption, 2014

Indigenous, Superseded 24/11/2014

See also National Healthcare Agreement: PI 07-Proportion of adults at risk of long-

term harm from alcohol, 2012 Health, Superseded 25/06/2013