

National Healthcare Agreement: PI 24-Survival of people diagnosed with notifiable cancers, 2013

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement: PI 24-Survival of people diagnosed with notifiable cancers, 2013

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Progress measure
Short name:	PI 24-Survival of people diagnosed with cancers, 2013
METEOR identifier:	497121
Registration status:	Health , Superseded 30/04/2014
Description:	Five-year relative survival proportions for people diagnosed with cancer.
Indicator set:	National Healthcare Agreement (2013) Health , Superseded 30/04/2014
Outcome area:	Hospital and Related Care Health , Standard 07/07/2010 National Health Performance Authority (retired) , Retired 01/07/2016

Collection and usage attributes

Computation description:	<p>The probability of surviving five years in people with cancer is divided by the probability of surviving five years in the general population (matched on age, sex and calendar year).</p> <p>Analysis will be undertaken using the 'period' method of calculation. See Cancer survival and prevalence in Australia: cancers diagnosed from 1982 to 2004 (2008 Cancer Series no. 42. Cat. no. CAN 38).</p> <p>Analyses by state and territory, remoteness and Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socio-Economic Disadvantage (IRSD) are based on usual residence of person at diagnosis.</p> <p>Presented as a percentage.</p>
Computation:	$100 \times (\text{Numerator} \div \text{Denominator})$
Numerator:	Probability of surviving for five years in the people diagnosed with cancer.

Numerator data elements:

Data Element / Data Set

Data Element

Age at diagnosis

Data Source

[Australian Cancer Database](#)

Guide for use

Data source type: Registry data
Used in 'age at diagnosis' calculation

Data Element / Data Set

[Patient—diagnosis date \(cancer\), DDMMYYYY](#)

Data Source

[Australian Cancer Database](#)

Guide for use

Data source type: Registry data
Used in 'age at diagnosis' calculation

Data Element / Data Set

[Person—date of death, DDMMYYYY](#)

Data Source

[Australian Cancer Database](#)

Guide for use

Data source type: Registry data

Data Element / Data Set

[Person—date of death, DDMMYYYY](#)

Data Source

[National Death Index \(NDI\)](#)

Guide for use

Data source type: Administrative by-product data
The NDI is used for linkage with the Australian Cancer Database to update additional death information.

Data Element / Data Set

[Person—sex, code N](#)

Data Source

[Australian Cancer Database](#)

Guide for use

Data source type: Registry data

Denominator:

Denominator data elements:

Probability of surviving for five years in the general population

Data Element / Data Set

Data Element

Person—estimated resident population of Australia

Data Source

[ABS Estimated resident population \(total population\)](#)

Guide for use

Data source type: Census-based plus administrative by-product data
ABS Estimated Resident Population (generated life tables)

Data Element / Data Set**Data Element**

Mortality identifier

Data Source

[AIHW National Mortality Database](#)

Guide for use

Data source type: Registry data
Used to identify number of deaths

Data Element / Data Set

[Person—sex, code N](#)

Data Source

[ABS Estimated resident population \(total population\)](#)

Guide for use

Data source type: Census-based plus administrative by-product data
ABS Estimated Resident Population (generated life tables)

Data Element / Data Set

[Person—sex, code N](#)

Data Source

[AIHW National Mortality Database](#)

Guide for use

Data source type: Registry data

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[ABS Estimated resident population \(total population\)](#)

Guide for use

Data source type: Census-based plus administrative by-product data
ABS Estimated Resident Population (generated life tables)

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

Guide for use

Data source type: Registry data

Disaggregation:

Nationally, by:

- sex
- remoteness (Australian Standard Geographical Classification Remoteness Structure)
- SEIFA Index of Relative Socio-Economic Disadvantage (IRSD) quintiles

Disaggregation by state and territory are not able to be provided this reporting cycle. Substantial development work is required in conjunction with state and territories and their cancer registries. It would require calculation against jurisdictional life tables and approval from cancer registries.

Disaggregation data elements:

Data Element / Data Set

[Person \(address\)—Australian postcode, code \(Postcode datafile\) {NNNN}](#)

Data Source

[Australian Cancer Database](#)

Guide for use

Data source type: Registry data

Used for disaggregation by remoteness and SEIFA IRSD

Data Element / Data Set

[Person—sex, code N](#)

Data Source

[Australian Cancer Database](#)

Guide for use

Data source type: Registry data

Comments:

Most recent data available for 2013 Council of Australian Governments (COAG) Reform Council (CRC) report: Survival proportions for cancer diagnosed in 2006–10.

NO NEW DATA FOR 2013 REPORTING.

Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Person

Format: NN.N

Indicator conceptual framework

Framework and dimensions: [Effectiveness](#)

Data source attributes

Data sources:**Data Source**

[ABS Estimated resident population \(total population\)](#)

Frequency

Quarterly

Data quality statement

[ABS Estimated resident population \(total population\), QS](#)

Data custodian

Australian Bureau of Statistics

Data Source

[Australian Cancer Database](#)

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Data Source

[AIHW National Mortality Database](#)

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Data Source

[National Death Index \(NDI\)](#)

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Accountability attributes

Reporting requirements: National Healthcare Agreement

Organisation responsible for providing data: Australian Institute of Health and Welfare

Further data development / collection required: Specification: Final, the measure meets the intention of the indicator.

Source and reference attributes

Reference documents: AIHW (Australian Institute of Health and Welfare) 2008. Cancer survival and prevalence in Australia: Cancers diagnosed from 1982 to 2004, Cancer Series no. 42. Cat. no. CAN 38.
<<http://www.aihw.gov.au/publications/index.cfm/title/10484>>

Relational attributes

Related metadata references:

Supersedes [National Healthcare Agreement: PI 44-Survival of people diagnosed with cancer, 2012](#)

[Health](#), Superseded 25/06/2013

Has been superseded by [National Healthcare Agreement: PI 24-Survival of people diagnosed with notifiable cancers, 2014](#)

[Health](#), Superseded 14/01/2015

See also [National Healthcare Agreement: PI 02-Incidence of selected cancers, 2013](#)

[Health](#), Superseded 30/04/2014