

Community housing dwelling address details cluster

Identifying and definitional attributes

Metadata item type: Data Set Specification

METEOR identifier: 497772

Registration status:

- [Housing assistance](#), Standard 01/05/2013

DSS type: Data Element Cluster

Scope: The Community housing address details cluster is used to collect information pertaining to the address of dwellings included in the Community Housing DSS.

The fields to be reported for address are:

- Address—road number 1, road number XXXXXX
- Address—road name, text X[X(44)]
- Address—road type, code AA[AA]
- Address—suburb/town/locality name, text X[X(45)]
- Address—Australian postcode, code (Postcode datafile) {NNNN}

All other data elements are to be reported if that data element is a component of the address of the dwelling. The unstructured address line may be used, if the dwelling address does not easily conform to the standard.

Relational attributes

Implementation in Data Set Specifications:

[Dwelling file cluster \(Mainstream community housing\) Housing assistance](#), Superseded 30/08/2017

DSS specific information:

The data elements in this cluster provide a detailed description of the individual components used to create a dwelling address as described by AS4590.

The collection records address information in an alternative manner, as follows:

- Dwelling address (concatenated number and street name) - 40 character alphanumeric field
- Dwelling suburb -15 character alphanumeric
- Postcode - 4 character numeric and unknown postcodes are recorded as "U".

[Dwelling file cluster \(Mainstream community housing\) Housing assistance](#), Standard 30/08/2017

DSS specific information:

The data elements in this cluster provide a detailed description of the individual components used to create a dwelling address as described by AS4590.

The collection records address information in an alternative manner, as follows:

- Dwelling address (concatenated number and street name) - 40 character alphanumeric field
- Dwelling suburb -15 character alphanumeric
- Postcode - 4 character numeric and unknown postcodes are recorded as "U".

Metadata items in this Data Set Specification

Seq No.	Metadata item	Obligation	Max occurs
-	Address—address site name, text X[X(49)]	Conditional	1
-	Address—Australian postcode, Australian postcode code (Postcode datafile) {NNNN}	Mandatory	1
-	Address—complex road name, text X[X(44)]	Conditional	1
-	Address—complex road number 1, road number XXXXXX	Conditional	1
-	Address—complex road number 2, road number XXXXXX	Conditional	1
-	Address—complex road type, code AA[AA]	Conditional	1
-	Address—level number, identifier X[XXXX]	Conditional	1
-	Address—road name, text X[X(44)]	Mandatory	1
-	Address—road number 1, road number XXXXXX	Mandatory	1
-	Address—road number 2, road number XXXXXX	Conditional	1
-	Address—road type, code AA[AA]	Mandatory	1
-	Address—secondary complex name, text X[X(49)]	Conditional	1
-	Address—sub-dwelling unit number, identifier X[X(6)]	Conditional	1
-	Address—suburb/town/locality name, text X[X(45)]	Mandatory	1
-	Address—unstructured address line, text X[X(49)]	Conditional	1