

National Healthcare Agreement: PI 41-Falls resulting in patient harm in hospitals, 2012 QS

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement: PI 41-Falls resulting in patient harm in hospitals, 2012 QS

Identifying and definitional attributes

Metadata item type:	Data Quality Statement
METEOR identifier:	500201
Registration status:	Health , Retired 14/01/2015

Data quality

Data quality statement summary:

- The National Hospital Morbidity Database (NHMD) is a comprehensive data set that has records for all separations of admitted patients from essentially all public and private hospitals in Australia.
- Data on falls are recorded uniformly using the International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification (ICD-10-AM).
- The recorded number of falls occurring in hospitals may be an underestimate as around 24 per cent of the records of separations involving falls did not have a code assigned for the place of occurrence. Underestimation and overestimation may also have occurred due to other limitations of the data.
- The indicator provides a count of separations involving one or more falls. It does not provide a count of falls.
- Comparability is affected by data not being adjusted for differences in casemix (for example, patient age).

Institutional environment: The Australian Institute of Health and Welfare (AIHW) has calculated this indicator.

The Institute is an independent statutory authority within the Health and Ageing portfolio, which is accountable to the Parliament of Australia through the Minister for Health and Ageing. For further information see the AIHW website.

The data were supplied to the AIHW by state and territory health authorities. The state and territory health authorities received these data from public and private hospitals. States and territories use these data for service planning, monitoring, and internal and public reporting. Hospitals may be required to provide data to states and territories through administrative arrangements, contractual requirements or legislation.

States and territories supplied these data under the terms of the National Health Information Agreement (see link below).

www.aihw.gov.au/WorkArea/DownloadAsset.aspx?id=6442472807&libID=6442472788

Timeliness: The reference period for this data set is 2009–10.

Accessibility: The AIHW provides a variety of products that draw upon the NHMD. Published products available on the AIHW website include:

- *Australian hospital statistics* with associated Excel tables.
- interactive data cubes for Admitted patient care (for Principal diagnoses, Procedures and Diagnosis Related Groups).

Some data are also included on the MyHospitals website.

Interpretability:

Supporting information on the quality and use of the NHMD are published annually in *Australian hospital statistics* (technical appendixes), available in hard copy or on the AIHW website. Readers are advised to note caveat information to ensure appropriate interpretation of the performance indicator. Supporting information includes discussion of coverage, completeness of coding, the quality of Indigenous data, and changes in service delivery that might affect interpretation of the published data. Metadata information for the NMDS for Admitted patient care is published in the AIHW's online metadata repository (METeOR) and the *National health data dictionary*.

Relevance:

The purpose of the NMDS for Admitted patient care is to collect information about care provided to admitted patients in Australian hospitals. The scope of the NMDS is episodes of care for admitted patients in essentially all hospitals in Australia, including public and private acute and psychiatric hospitals, free-standing day hospital facilities, alcohol and drug treatment hospitals and dental hospitals. Hospitals operated by the Australian Defence Force, corrections authorities and in Australia's off-shore territories are not included. Hospitals specialising in ophthalmic aids and other specialised acute medical or surgical care are included.

The hospital separations data do not include episodes of non-admitted patient care provided in outpatient clinics or emergency departments.

The analyses by remoteness and socioeconomic status are based on Statistical Local Area of usual residence of the patient. The Australian Bureau of Statistics Socio-Economic Indexes For Areas (SEIFA) categories for socioeconomic status represent approximately the same proportion of the national population, but do not necessarily represent that proportion of the population in each state or territory (each SEIFA decile or quintile represents 10 per cent and 20 per cent respectively of the national population). The SEIFA scores for each Statistical Local Area (SLA) are derived from 2006 Census data and represent the attributes of the population in that SLA in 2006. To allocate a 2006 SEIFA score to 2009 SLAs (used for 2009–10 data), 2009 SLA boundaries are mapped backed to 2006 SLA boundaries. It is possible that the demographic profile of some areas may have changed between 2006 and 2009 due to changes in the socioeconomic status of the existing population, or changes to population size, thus potentially diminishing the accuracy of that area's SEIFA score over time. This is likely to impact most those quintiles in jurisdictions with a greater number of areas experiencing substantial population movement or renewal.

Separations are reported by jurisdiction of hospitalisation, regardless of the jurisdiction of usual residence. Hence, rates represent the number of separations for patients living in each remoteness area of SEIFA population group (regardless of their jurisdiction of residence) divided by the total number of separations for patients living in each remoteness area and hospitalised in the reporting jurisdiction.

Other Australians includes separations for non-Indigenous people and those for whom Indigenous status was not stated.

Accuracy:

For 2009–10 almost all public hospitals provided data for the NHMD, with the exception of all separations for a mothercraft hospital in the Australian Capital Territory and about 2,400 separations for one public hospital in Western Australia.

The majority of private hospitals provided data, with the exception of the private day hospital facilities in the Australian Capital Territory and the Northern Territory. In addition, Western Australia was not able to provide about 10,600 separations for one private hospital.

States and territories are primarily responsible for the quality of the data they provide. However, the AIHW undertakes extensive validations on receipt of data. Data are checked for valid values, logical consistency and historical consistency. Where possible, data in individual data sets are checked against data from other data sets. Potential errors are queried with jurisdictions, and corrections and resubmissions may be made in response to these edit queries. The AIHW does not adjust data to account for possible data errors.

The Indigenous status data are of sufficient quality for statistical reporting for the following jurisdictions: New South Wales, Victoria, Queensland, South Australia and Western Australia (public and private hospitals) and Northern Territory (public hospitals only). National totals include these six jurisdictions only. Indigenous status data reported for Tasmania and Australian Capital Territory (public and private hospitals) should be interpreted with caution until further assessment of Indigenous identification is completed.

The specification for the indicator defines a fall in hospital as being one for which the place of occurrence is coded as Health service area. The Health service area as a place of occurrence is broader in scope than hospitals—it includes other health service settings such as day surgery centres and hospices. Hence the numbers presented could be an overestimate as they include falls in health care settings other than hospitals.

Around 24 per cent of the records of separations involving falls did not have a code assigned for the place of occurrence. Consequently, the recorded number of falls occurring in hospitals may be an underestimate.

For separations having multiple external causes, it is not possible to establish (from the NHMD) whether the nominated place of occurrence is associated with the fall or with some other external cause. As a consequence, the count of separations may also be overestimated.

To minimise the chance of overestimation, separations where a person was admitted to hospital with a principal diagnosis of an injury were excluded on the basis that if the injury was the principal diagnosis it was associated with an external cause relating to an event occurring prior to admission. However, these exclusions may result in an underestimation of the indicator as the indicator does not count separations where a person is injured and admitted to hospital and then subsequently experiences a fall in hospital.

Data on falls are recorded uniformly using the ICD-10-AM.

The indicator provides a count of separations involving one or more falls. It does not provide a count of falls.

Comparability is affected by data not being adjusted for differences in casemix (for example, patient age).

Cells have been suppressed to protect confidentiality where the presentation could identify a patient or a service provider or where rates are likely to be highly volatile, for example, where the denominator is very small. The following rules were applied:

- Rates were suppressed where the numerator was less than 5.
- Data for private hospitals in Tasmania, Australian Capital Territory and the Northern Territory were suppressed.

Coherence: The information presented for this indicator is calculated using the same methodology as data published in *Australian hospital statistics 2009–10* and the *National healthcare agreement: performance report 2009–10*.

The data can be meaningfully compared across reference periods for all jurisdictions except Tasmania. 2008–09 data for Tasmania does not include two private hospitals that were included in 2007–08 and 2009–10 data reported in the National Healthcare Agreement performance reports.

However, caution is required when analysing SEIFA over time for the reasons outlined above (see Relevance section). Methodological variations also exist in the application of SEIFA to various data sets and performance indicators. Any comparisons of the SEIFA analysis for this indicator with other related SEIFA analysis should be undertaken with careful consideration of the methods used, in particular the SEIFA index used and the approach taken to derive quintiles and deciles.

Relational attributes

Related metadata references: Supersedes [National Healthcare Agreement: PI 41: Falls resulting in patient harm in hospitals, 2011 QS](#)
[Health](#), Superseded 04/12/2012

Indicators linked to this Data Quality statement: [National Healthcare Agreement: PI 41-Falls resulting in patient harm in hospitals, 2012](#)
[Health](#), Retired 25/06/2013