

Female—parity, total pregnancies N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Female—parity, total pregnancies N[N]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Parity
METEOR identifier:	501710
Registration status:	Health , Superseded 12/12/2018 Tasmanian Health , Superseded 03/07/2020
Definition:	The total number of previous pregnancies experienced by the woman that have resulted in a live birth or a stillbirth .
Context:	Perinatal statistics.
Data Element Concept:	Female—parity
Value Domain:	Total pregnancies N[N]

Value domain attributes

Representational attributes

Representation class:	Total	
Data type:	Number	
Format:	N[N]	
Maximum character length:	2	
	Value	Meaning
Supplementary values:	99	Not stated
Unit of measure:	Pregnancy	

Data element attributes

Collection and usage attributes

Guide for use:	To calculate parity, count all previous pregnancies that resulted in a live birth or a stillbirth of at least 20 weeks gestation or at least 400 grams birthweight. Excluded from the count are: <ul style="list-style-type: none">• the current pregnancy• pregnancies resulting in spontaneous or induced abortions before 20 weeks gestation• ectopic pregnancies. A primipara (a woman giving birth for the first time) has a parity of 0.
Collection methods:	A pregnancy with multiple fetuses is counted as one pregnancy.
Comments:	The number of previous pregnancies that resulted in a birth is an important component of the woman's reproductive history. Parity may be a risk factor for adverse maternal and perinatal outcomes.

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
--------------------------	---

Relational attributes

Related metadata references:

Supersedes [Female—parity, total N\[N\] Health](#), Superseded 07/03/2014

Has been superseded by [Female—parity, total pregnancies N\[N\] Health](#), Superseded 03/12/2020

[Tasmanian Health](#), Superseded 11/06/2021

Implementation in Data Set Specifications:

[Perinatal NMDS 2014-18 Health](#), Superseded 02/08/2017

Implementation start date: 01/07/2014

Implementation end date: 30/06/2018

DSS specific information:

This item is collected for the mother only.

[Perinatal NMDS 2018-19 Health](#), Superseded 12/12/2018

Implementation start date: 01/07/2018

Implementation end date: 30/06/2019

DSS specific information:

This item is collected for the mother only.

[Tasmanian Perinatal Data Set - 2016 Tasmanian Health](#), Standard 30/01/2017

Implementation start date: 01/07/2016

Implementation end date: 30/06/2017

[Tasmanian Perinatal Data Set - 2019 Tasmanian Health](#), Superseded 23/06/2020

Implementation start date: 01/07/2019

Implementation end date: 30/06/2020

Implementation in Indicators:

Used as Numerator

[Australian Atlas of Healthcare Variation: Caesarean section for selected women giving birth for the first time, 2012-2014 Australian Commission on Safety and Quality in Health Care](#), Standard 07/06/2017

[National Core Maternity Indicators: PI 03—Episiotomy for females giving birth for the first time and giving birth vaginally, 2018 Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 03—Episiotomy for females giving birth for the first time and giving birth vaginally, 2019 Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 03—Episiotomy for females giving birth for the first time and giving birth vaginally, 2020 Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 03—Episiotomy for women giving birth for the first time and giving birth vaginally \(2016\) Health](#), Superseded 06/09/2018

[National Core Maternity Indicators: PI 05—Induction of labour for selected females giving birth for the first time, 2018 Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 05—Induction of labour for selected females giving birth for the first time, 2019 Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 05—Induction of labour for selected females giving birth for the first time, 2020 Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 05—Induction of labour for selected women giving birth for the first time \(2016\) Health](#), Superseded 06/09/2018

[National Core Maternity Indicators: PI 06—Caesarean section for selected females giving birth for the first time, 2018](#)

[Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 06—Caesarean section for selected females giving birth for the first time, 2019](#)

[Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 06—Caesarean section for selected females giving birth for the first time, 2020](#)

[Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 06—Caesarean section for selected women giving birth for the first time \(2016\)](#)

[Health](#), Superseded 06/09/2018

[National Core Maternity Indicators: PI 07—Non-instrumental vaginal birth for selected females giving birth for the first time, 2018](#)

[Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 07—Non-instrumental vaginal birth for selected females giving birth for the first time, 2019](#)

[Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 07—Non-instrumental vaginal birth for selected females giving birth for the first time, 2020](#)

[Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 07—Normal \(non-instrumental\) vaginal birth for selected women giving birth for the first time \(2016\)](#)

[Health](#), Superseded 06/09/2018

[National Core Maternity Indicators: PI 08—Instrumental vaginal birth for selected females giving birth for the first time, 2018](#)

[Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 08—Instrumental vaginal birth for selected females giving birth for the first time, 2019](#)

[Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 08—Instrumental vaginal birth for selected females giving birth for the first time, 2020](#)

[Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 08—Instrumental vaginal birth for selected women giving birth for the first time \(2016\)](#)

[Health](#), Superseded 06/09/2018

[National Core Maternity Indicators: PI 13—Third and fourth degree tears for \(a\) all vaginal first births and \(b\) all vaginal births \(2016\)](#)

[Health](#), Superseded 06/09/2018

[National Core Maternity Indicators: PI 13—Third and fourth degree tears for vaginal births, 2018](#)

[Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 13—Third and fourth degree tears for vaginal births, 2019](#)

[Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 13—Third and fourth degree tears for vaginal births, 2020](#)

[Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 15—Females having their second birth vaginally whose first birth was by caesarean section, 2018](#)

[Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 15—Females having their second birth vaginally whose first birth was by caesarean section, 2019](#)

[Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 15—Females having their second birth vaginally whose first birth was by caesarean section, 2020](#)

[Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 15—Women having their second birth vaginally whose first birth was by caesarean section \(2016\)](#)

[Health](#), Superseded 06/09/2018

Used as Denominator

[National Core Maternity Indicators: PI 03–Episiotomy for females giving birth for the first time and giving birth vaginally, 2018](#)

[Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 03–Episiotomy for females giving birth for the first time and giving birth vaginally, 2019](#)

[Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 03–Episiotomy for females giving birth for the first time and giving birth vaginally, 2020](#)

[Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 03—Episiotomy for women giving birth for the first time and giving birth vaginally \(2016\)](#)

[Health](#), Superseded 06/09/2018

[National Core Maternity Indicators: PI 05–Induction of labour for selected females giving birth for the first time, 2018](#)

[Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 05–Induction of labour for selected females giving birth for the first time, 2019](#)

[Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 05–Induction of labour for selected females giving birth for the first time, 2020](#)

[Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 05–Induction of labour for selected women giving birth for the first time \(2013\)](#)

[Health](#), Superseded 02/02/2016

[National Core Maternity Indicators: PI 05—Induction of labour for selected women giving birth for the first time \(2016\)](#)

[Health](#), Superseded 06/09/2018

[National Core Maternity Indicators: PI 06–Caesarean section for selected females giving birth for the first time, 2018](#)

[Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 06–Caesarean section for selected females giving birth for the first time, 2019](#)

[Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 06–Caesarean section for selected females giving birth for the first time, 2020](#)

[Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 06—Caesarean section for selected women giving birth for the first time \(2016\)](#)

[Health](#), Superseded 06/09/2018

[National Core Maternity Indicators: PI 07–Non-instrumental vaginal birth for selected females giving birth for the first time, 2018](#)

[Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 07–Non-instrumental vaginal birth for selected females giving birth for the first time, 2019](#)

[Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 07–Non-instrumental vaginal birth for selected females giving birth for the first time, 2020](#)

[Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 07—Normal \(non-instrumental\) vaginal birth for selected women giving birth for the first time \(2016\)](#)

[Health](#), Superseded 06/09/2018

[National Core Maternity Indicators: PI 08–Instrumental vaginal birth for selected females giving birth for the first time, 2018](#)

[Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 08–Instrumental vaginal birth for selected females giving birth for the first time, 2019](#)

[Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 08—Instrumental vaginal birth for selected females giving birth for the first time, 2020](#)

[Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 08—Instrumental vaginal birth for selected women giving birth for the first time \(2016\)](#)

[Health](#), Superseded 06/09/2018

[National Core Maternity Indicators: PI 13—Third and fourth degree tears for \(a\) all vaginal first births and \(b\) all vaginal births \(2016\)](#)

[Health](#), Superseded 06/09/2018

[National Core Maternity Indicators: PI 13—Third and fourth degree tears for vaginal births, 2018](#)

[Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 13—Third and fourth degree tears for vaginal births, 2019](#)

[Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 13—Third and fourth degree tears for vaginal births, 2020](#)

[Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 15—Females having their second birth vaginally whose first birth was by caesarean section, 2018](#)

[Health](#), Superseded 19/06/2019

[National Core Maternity Indicators: PI 15—Females having their second birth vaginally whose first birth was by caesarean section, 2019](#)

[Health](#), Superseded 16/09/2020

[National Core Maternity Indicators: PI 15—Females having their second birth vaginally whose first birth was by caesarean section, 2020](#)

[Health](#), Superseded 17/12/2021

[National Core Maternity Indicators: PI 15—Women having their second birth vaginally whose first birth was by caesarean section \(2016\)](#)

[Health](#), Superseded 06/09/2018