

Middle ear condition type code N.N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Middle ear condition type code N.N

Identifying and definitional attributes

Metadata item type:	Value Domain
METEOR identifier:	504296
Registration status:	Indigenous , Standard 08/08/2014
Definition:	A code set representing the type of middle ear conditions.

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N.N
Maximum character length:	2

	Value	Meaning
Permissible values:	1.0	Eustachian tube dysfunction
	2.1	Acute otitis media with perforation
	2.2	Acute otitis media without perforation
	3.0	Otitis media effusion
	4.1	Chronic suppurative otitis media with active discharge
	4.2	Chronic suppurative otitis media with inactive dry perforation
	7.0	Other
Supplementary values:	8.0	Unknown
	9.0	Not stated

Collection and usage attributes

Guide for use:

CODE 1.0 Eustachian tube dysfunction

Is the negative middle ear pressure associated with compromised equalisation impeding middle ear function and causing middle ear fluid accumulation.

CODE 2.1 Acute otitis media with perforation

Is the presence of suppurative (infected) middle ear fluid with eardrum perforation. May have associated symptoms or signs of infection that include discharge, pain, fever, irritability, vomiting or diarrhoea.

CODE 2.2 Acute otitis media without perforation

Is the presence of suppurative (infected) middle ear fluid with intact bulging or recent discharge and or bulging eardrum. May have associated symptoms or signs of infection that include discharge, pain, fever, irritability, vomiting or diarrhoea.

CODE 3.0 Otitis media with effusion

The presence of intact eardrum and middle ear fluid without symptoms or signs of infection.

CODE 4.1 Chronic suppurative otitis media (CSOM) with active discharge

Is a persistent suppurative discharge from the middle ear through a tympanic membrane perforation for more than six weeks.

CODE 4.2 Chronic suppurative otitis media (CSOM) with inactive dry perforation

Is a CSOM condition that appears as a hole in the eardrum without any evidence of suppurative otitis media (either acute or chronic).

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Reference documents: AIHW (Australian Institute of Health and Welfare) 2011. Ear and hearing health of Indigenous children in the Northern Territory 2011. Cat. no. IHW 60. Canberra: AIHW. <http://www.aihw.gov.au/publication-detail/?id=10737420423>

Relational attributes

Data elements implementing this value domain: [Patient—middle ear condition type, code N.N Indigenous](#), Standard 11/08/2014