Female—type of hypertensive disorder during pregnancy

Exported from METEOR (AIHW's Metadata Online Registry)
© Australian Institute of Health and Welfare 2024
This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.
You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our

meteor@aihw.gov.au.

attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Female—type of hypertensive disorder during pregnancy

Identifying and definitional attributes

Metadata item type: Data Element Concept

METEOR identifier: 504461

Registration status: Health, Superseded 05/10/2016

Definition: The type of <u>hypertensive disorder during pregnancy</u> which a female has been

diagnosed with.

Object Class attributes

Identifying and definitional attributes

Object class: <u>Female</u>

Definition: A human being of the sex which conceives and brings forth young.

Specialisation of: Person/group of persons

Source and reference attributes

Submitting organisation: Australia Institute of Health and Welfare

Origin: Macquarie University 2003. The Macquarie Dictionary 3rd ed. Sydney: The

Macquarie Library Pty Ltd.

Property attributes

Identifying and definitional attributes

Property: Type of hypertensive disorder during pregnancy

Definition: The type of <u>hypertensive disorder during pregnancy</u> which is characterised by

high blood pressure but could also be accompanied by other symptoms such as

proteinuria, oedema, high body temperature or seizures.

Property group: <u>Illness and/or Injury event</u>

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Origin: National Perinatal Data Development Committee

Australian Institute of Health and Welfare

Reference documents: SOMANZ Guidelines for the Management of Hypertensive Disorders of Pregnancy

2008

Data element concept attributes

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Relational attributes

Related metadata references:

Has been superseded by Female—type of hypertensive disorder during pregnancy

Health, Superseded 03/12/2020

Data Elements implementing this Data Element Concept:

<u>Female—type of hypertensive disorder during pregnancy, code N Health, Superseded 05/10/2016</u>