Indigenous primary health care: PI24a-Number of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2014

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Indigenous primary health care: PI24a-Number of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2014

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Output measure
Short name:	Pl24a-Number of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2014
METEOR identifier:	504801
Registration status:	<u>Health</u> , Superseded 13/03/2015 <u>Indigenous</u> , Superseded 13/03/2015
Description:	Number of regular clients who are Indigenous, have Type II diabetes and whose blood pressure measurement result, recorded within the previous 6 months, was less than or equal to 130/80 mmHg.
Rationale:	The blood pressure target for people with Type II diabetes is less than or equal to 130/80 mmHg. This level is shown to significantly decrease macrovascular (stroke, heart attack and heart failure) and microvascular (kidney disease, eye disease and peripheral neuropathy) complications.
Indicator set:	Indigenous primary health care key performance indicators (2014) Health, Superseded 13/03/2015 Indigenous, Superseded 13/03/2015

Collection and usage attributes

	The client does not have a blood pressure measurement of less than or equal to 130/80 mmHg if either the systolic or diastolic reading is above the threshold (130 and 80 respectively). In the general population, blood pressure over 140/90 mmHg is considered high. The blood pressure target for those with Type II diabetes is less than or equal to
	Presented as a number.
	If the client has had more than one blood pressure measurement in the last 6 months, only the most recently recorded result is included in this calculation.
Computation:	Numerator only

Numerator:	Number of regular clients who are Indigenous, have Type II diabetes and whose blood pressure measurement result, recorded within the previous 6 months, was less than or equal to 130/80 mmHg.
Numerator data elements:	Data Element / Data Set
	Person—Indigenous status, code N
	Data Source
	Indigenous primary health care data collection
	NMDS / DSS
	Indigenous primary health care DSS 2014-15
	Data Element / Data Set
	Person-diabetes mellitus status, code NN
	Data Source
	Indigenous primary health care data collection
	NMDS / DSS
	Indigenous primary health care DSS 2014-15
	Guide for use
	Type II diabetes only.
	Data Element / Data Set
	Person—regular client indicator, yes/no code N
	Data Source
	Indigenous primary health care data collection
	NMDS / DSS
	Indigenous primary health care DSS 2014-15
	Data Element / Data Set
	Person—blood pressure measurement result less than or equal to 130/80 mmHg indicator, yes/no code N
	Data Source
	Indigenous primary health care data collection
	NMDS / DSS
	Indigenous primary health care DSS 2014-15
	Guide for use
	Response to this is conditional on responding 'yes' to having had a blood pressure measurement result recorded in the previous 6 months.

	1. Sex: a) Male b) Female
	2. Age: a) 0-4 years b) 5-14 years c) 15-24 years d) 25-34 years e) 35-44 years f) 45-54 years g) 55-64 years h) 65 years and over
Disaggregation data elements:	Data Element / Data Set Person—sex, code N Data Source Indigenous primary health care data collection NMDS / DSS Indigenous primary health care DSS 2014-15
	Data Element / Data Set
	Person—age, total years N[NN]
	Data Source
	Indigenous primary health care data collection
	NMDS / DSS
	Indigenous primary health care DSS 2014-15

Representational attributes

Representation class:	Count
Data type:	Real
Unit of measure:	Person

Indicator conceptual framework

Framework and	Effective/Appropriate/Efficient
dimensions:	

Data source attributes

Data sources:	Data Source	
	Indigenous primary health care data collection	
	Frequency	
	6 monthly	
	Data custodian	
	Australian Institute of Health and Welfare.	

Source and reference attributes

Department of Health

Relational attributes

Related metadata references:	Supersedes Indigenous primary health care: PI24a-Number of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2013 Health, Superseded 21/11/2013 Indigenous, Superseded 21/11/2013
	Has been superseded by Indigenous primary health care: PI24a-Number of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2015 Health, Superseded 05/10/2016 Indigenous, Superseded 20/01/2017
	See also Indigenous primary health care: PI24b-Proportion of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2014 Health, Superseded 13/03/2015 Indigenous, Superseded 13/03/2015