

Androgen deprivation therapy purpose code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Androgen deprivation therapy purpose code N

Identifying and definitional attributes

Metadata item type:	Value Domain
METEOR identifier:	505508
Registration status:	Health , Standard 14/05/2015
Definition:	A code set outlining the purpose of androgen deprivation therapy in the treatment of prostate cancer.

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N
Maximum character length:	1

	Value	Meaning
Permissible values:	1	Neo-adjuvant
	2	Adjuvant
	3	Salvage
	4	Palliative
Supplementary values:	8	Unknown

Collection and usage attributes

Guide for use:	<p>This code set outlines the purpose of androgen deprivation therapy (ADT) in the treatment of patients with prostate cancer.</p> <p>CODE 1 Neo-adjuvant</p> <p>This code should be recorded when androgen deprivation therapy (ADT) is used prior to the main treatment.</p> <p>CODE 2 Adjuvant</p> <p>This code should be recorded when androgen deprivation therapy (ADT) is used after the main treatment.</p> <p>CODE 3 Salvage</p> <p>This code should be recorded when androgen deprivation therapy (ADT) is used after a recurrence of prostate cancer for a patient who has had a radical prostatectomy.</p> <p>CODE 4 Palliative</p> <p>This code should be recorded when androgen deprivation therapy (ADT) is used to manage and alleviate symptoms and control tumour growth in palliative patients.</p> <p>CODE 9 Unknown</p> <p>This code should be recorded when androgen deprivation therapy (ADT) has been used in the treatment of a patient but the purpose of the therapy is not ascertainable from the data source.</p>
-----------------------	--

Source and reference attributes

Submitting organisation: Cancer Australia

Relational attributes

Data elements implementing this value domain: [Cancer treatment—androgen deprivation therapy purpose, code N Health](#), Standard 14/05/2015